



# **Intel<sup>®</sup> Integrated RAID Module RMS2MH080**

## ***Tested Hardware and Operating System List***

**Revision 4.0**

**August, 2011**

**Enterprise Platforms and Services Division**

## ***Revision History***

<b>Date</b>	<b>Revision Number</b>	<b>Modifications</b>
June 2010	1.0	Initial release
December 2010	2.0	Update the following: <ul style="list-style-type: none"> <li>▪ Firmware Configuration</li> <li>▪ Intel® Server Board</li> <li>▪ Enclosures, PCI Adapters, and Peripherals</li> <li>▪ Hard Disk Drives and Solid State Drives</li> </ul>
March 2011	3.0	Update the following: <ul style="list-style-type: none"> <li>▪ Hard Disk Drives and Solid State Drives</li> </ul>
August 2011	4.0	Update the following: <ul style="list-style-type: none"> <li>▪ Firmware Configuration</li> <li>▪ Intel® Server Board</li> <li>▪ Enclosures, PCI Adapters, and Peripherals</li> <li>▪ Hard Disk Drives and Solid State Drives</li> </ul>

## ***Disclaimers***

THE INFORMATION IN THIS DOCUMENT IS PROVIDED “AS IS” WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION, OR SAMPLE.

Information in this document is provided in connection with Intel® products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document. Except as provided in Intel’s Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications.

Intel retains the right to make changes to its test specifications at any time, without notice.

The hardware vendor remains solely responsible for the design, sale and functionality of its product, including any liability arising from product infringement or product warranty.

Copyright © Intel Corporation 2011. All rights reserved.

Intel and the Intel logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

# Table of Contents

<b>1. Introduction .....</b>	<b>1</b>
1.1 Test Overview .....	1
1.1.1 Basic Compatibility Testing .....	1
1.1.2 Adapter / Peripheral Compatibility and Stress Testing .....	2
1.2 Pass/Fail Test Criteria .....	3
<b>2. Firmware Configurations .....</b>	<b>4</b>
<b>3. Operating Systems .....</b>	<b>5</b>
3.1 Operating System Certifications .....	5
<b>4. Supported Server Boards and Systems .....</b>	<b>7</b>
4.1 Intel® Server Boards and Systems .....	7
4.2 3 <sup>rd</sup> Party Server Boards and Systems .....	7
<b>5. Enclosures, PCI Adapters, and Peripherals .....</b>	<b>9</b>
5.1 External Storage .....	9
5.2 Internal Storage .....	10
Tape and Optical Drives .....	10
<b>6. Hard Disk Drives and Solid State Drives .....</b>	<b>11</b>
6.1 Hard Disk Drives and Solid State Drives (SSD) .....	11

**<This page intentionally left blank.>**



# 1. Introduction

---

This document provides users of the Intel® Integrated RAID Module RMS2MH080 with a guide to the operating systems, server boards, chassis, disk drives, and other peripherals that Intel tested for use with this RAID controller.

This document will be updated as additional testing is performed, or until the Intel® RAID controller is no longer in production. Each new release of the document will include the information from previous releases.

Intel will only provide support for this RAID controller when it is installed in a system configured with the specified server boards, and when the server board is configured with the tested RAID firmware, system BIOS / firmware, and operating system versions.

This RAID controller was thoroughly tested with Intel® server boards, Intel® drive enclosures, and the third-party devices listed in this document. However, it is not practical to test the RAID controller in every possible combination of server board, drive enclosure, hard drive, and peripheral device. Sample combinations have been tested to gain confidence in their compatibility, and the devices listed were tested in one or more configurations.

## 1.1 Test Overview

Testing performed on the Intel® Integrated RAID Module RMS2MH080 is classified under two categories:

- Compatibility Testing
- Stress Testing

### 1.1.1 Basic Compatibility Testing

Compatibility testing is performed with each supported operating system. Basic installation testing validates that the RAID controller can be used to install the operating system and that the base hardware feature set is functional. A small set of peripherals are used for installation purposes only. Additional add-in cards are not tested.

---

**Note:** *The latest version of an operating system signifies the latest supported version at the time of testing. New releases of this document may include a newly supported release of an operating system. Previous releases of a supported operating system may not be tested beyond the basic compatibility test process.*

---

#### 1.1.1.1 Support Commitment for Basic Installation Testing

Intel commits to the following level of customer support for operating systems that receive only basic installation testing:

- Intel will provide tested operating system drivers for each of the integrated controllers on the server board, provided the controller vendor has a driver available. Intel does not require vendors to develop drivers for operating systems that they do not already support. This may limit the functionality of certain server board integrated controllers.

- Intel will provide support to customers who experience issues with the integrated controllers due to the installation or functionality of an operating system only if a driver is available.
- Intel does not provide support for issues related to the use of add-in adapters or peripherals installed in the server system with an operating system that received only basic installation testing.
- Support is defined as assistance provided to a customer in root causing an issue and determining an acceptable resolution to the operating system problem. The resolution may include, but is not limited to, on-board controller driver updates, engaging the vendor, BIOS changes, firmware changes, or determining an acceptable workaround for the issue with the customer.

### 1.1.2 Adapter / Peripheral Compatibility and Stress Testing

Adapter / Peripheral Compatibility and Stress testing is performed only on the most current release of a supported operating system available at the time of testing. The Adapter / Peripheral Compatibility and Stress testing process consists of three areas:

- **Base Platform:** Each base platform will successfully install a given operating system, successfully run a disk stress test, and successfully run a network stress test.
- **Adapter Compatibility:** Adapter compatibility validation (CV) testing uses test suites to gain an accurate view of how the server performs with a wide variety of adapters under the primary supported operating systems. These tests are designed to show hardware compatibility between the cards and the server platform and include functional testing only. CV testing does not include heavy stressing of the systems or the cards.
- **Stress Testing:** This test sequence uses configurations with add-in adapters installed in all available slots (depending on the chassis used), and runs for a minimum of 72 hours (three days) without injecting errors. Each configuration passes an installation test, a network/disk stress test, and tape backup test. Any fatal errors require a restart of the test.

#### 1.1.2.1 Support Commitment for Adapter / Peripheral Compatibility and Stress Testing

Intel will provide the following level of customer support for operating systems that receive Adapter / Peripheral Compatibility and Stress testing:

- Intel will provide support to customers who experience issues with tested operating systems involving the installation or functionality of the server board with or without the adapters and peripherals listed in this document as having been tested under the operating system.
- Support is defined as assistance provided to a customer in root causing an issue and determining an acceptable resolution to the problem. The resolution may include, but is not limited to, on-board controller driver updates, engaging the vendor, BIOS changes, firmware changes, or determining a workaround for the issue.
- Intel provides and tests operating system drivers for each on-board video, network, and storage controller.
- Intel enables vendors to provide driver support for add-in adapters using these operating systems.



- Intel will go through some of the steps to achieve certification to ensure its customers do not encounter problems. The actual certification is the responsibility of the customer.

---

**Note:** Intel does not provide a support commitment for operating systems, adapter cards, and peripherals not listed in this document. Intel will consider requests for support on a case-by-case basis.

---

## 1.2 Pass/Fail Test Criteria

For each operating system, adapter, and peripheral configuration, a test passes if specific criteria are met. Specific configurations with particular characteristics are addressed on a case-by-case basis. In general, a configuration passes testing if the following conditions are met:

- The operating system installed without error.
  - Manufacturer's installation instructions or Intel's best-known methods were used for the operating system installation.
  - No extraordinary workarounds were required during the operating system installation.
  - The server system behaved as expected during and after the operating system installation.
  - Application software installed and executed normally.
- Hardware compatibility tests ran to completion without error.
- Test software suites executed successfully:
  - Test and data files were created in the correct directories without error.
  - Files copied from the client to the server and back match the original without error.
  - Clients remain connected to the server system.
  - Industry-standard test suites run to completion without error.

## 2. Firmware Configurations

---

The following table lists the tested controller and firmware configurations. This document will be updated with additional configurations as new revisions of the Intel® Integrated RAID Module RMS2MH080 or firmware versions for that controller are released. Each configuration is assigned an identifier number which is referenced in the tables throughout this document.

---

**Note:** *Intel only provides support for adapters and peripherals in the configuration with which they were tested.*

---

Base System Identifier #	Product Code	Part Number	Firmware Revision	HWR Revision
1	RMS2MH080	907847	Ver. 2.60.03-0829	
2	RMS2MH080	907847	Ver.2.120.13-1094	B3
3	RMS2MH080	907847	Ver.2.120.63-1242	B3

## 3. Operating Systems

The following table provides a list of supported operating systems for the Intel® Integrated RAID Module RMS2MH080. Each operating system was tested for compatibility with Intel® Integrated RAID Module RMS2MH080 configuration listed in Chapter 2. Operating systems are only supported in the specified base system configuration(s) with which they were tested.

The following table also indicates whether each operating system received Basic Installation testing, or Adapter / Peripheral Compatibility and Stress testing. For information on the support commitments for Basic Installation Testing and Adapter / Peripheral Compatibility and Stress Testing, see Chapter 1.

Any variations to the standard operating system installation process are documented in the Installation Guidelines section of this document. If the installation guidelines are not noted in the following table, then the operating system installed as expected using the manufacturer's installation instructions or Intel's best-known methods.

**Note:** *The operating systems listed in the following table have been tested for compatibility with the Intel® Integrated RAID Module RMS2MH080, but the operating system and its associated driver may not have been tested for compatibility with the server board you have selected. Refer to the supported operating system list for your server board to verify operating system compatibility with the server board. This document lists testing performed on Intel® Server Boards only.*

Ident#	Operating System (with latest Service Pack)	Base System Configuration Tested – Type of Testing
1	Microsoft Windows 2003*	Configuration 1,2,3 – Compatibility and Stress
2	Microsoft Windows 2003*, x64	Configuration 1,2,3 – Compatibility and Stress
3	Microsoft Windows 2008*	Configuration 1,2,3 – Compatibility and Stress
4	Microsoft Windows 2008*, x64	Configuration 1,2,3 – Compatibility and Stress
5	Red Hat* Enterprise Linux ES 5	Configuration 1,2,3 – Compatibility and Stress
6	Red Hat* Enterprise Linux ES 5, x86_64	Configuration 1,2,3 – Compatibility and Stress
7	SuSE* Linux Enterprise Server 11	Configuration 1,2,3 – Compatibility and Stress
8	SuSE* Linux Enterprise Server 11, x86_64	Configuration 1,2,3 – Compatibility and Stress
9	Microsoft Windows Server 2008 R2*	Configuration 1,2,3 – Compatibility and Stress
10	Microsoft Windows 7*	Configuration 1,2,3 – Compatibility and Stress
11	Microsoft Windows 7*, x64	Configuration 1,2,3 – Compatibility and Stress
12	VMware ESXi 4.1	Configuration 3 – Compatibility and Stress

### 3.1 Operating System Certifications

The following table lists the operating systems that Intel will certify with the Intel® Integrated RAID Module RMS2MH080. Each customer is responsible for their own certification from the individual operating system vendors. In many cases, customers may leverage their operating system certifications from the testing completed by Intel. See the “Comments” column next to each operating system in the following table for additional information. Intel's certifications, pre-certification, and operating system testing may help reduce some of the risk in achieving customer certifications with the operating system vendors.

Operating System	Certification Listing	Comments
Microsoft Windows 2003 Enterprise Server*	Intel® Integrated RAID Module RMS2MH080	OEM must request certification by Microsoft for their specific product. <a href="http://www.microsoft.com/whdc/hcl/default.mspx">http://www.microsoft.com/whdc/hcl/default.mspx</a>
Microsoft Windows 2008 Enterprise Server*	Intel® Integrated RAID Module RMS2MH080	OEM must request certification by Microsoft for their specific product. <a href="http://www.microsoft.com/whdc/hcl/default.mspx">http://www.microsoft.com/whdc/hcl/default.mspx</a>

## 4. Supported Server Boards and Systems

### 4.1 Intel® Server Boards and Systems

Below list includes the Intel® Server Board and System software versions that the server boards and systems were configured with at the time of testing.

Intel® Server Board	BIOS	BMC	FRU/SDR	HSC
S5520UR*	R0058	R0057	26	2.17
S5500WB**	R0058	R0057	19	2.14

Intel® Server System	BIOS	BMC	FRU/SDR	HSC
SR1600UR*	R0058	R0057	26	2.17
SR1600URHS* (need to work together with the passive backplane ASR1500PASBP which has to be ordered separately as an accessory.)	R0058	R0057	26	2.17
SR1625UR*	R0058	R0057	26	2.17
SR2600URBRP*	R0058	R0057	26	2.17
SR2600URSATA*	R0058	R0057	26	2.17
SR2625URBRP*	R0058	R0057	26	2.17
SR2612UR	R0058	R0057	26	2.17
SR1690WB**	R0058	R0057	19	2.14
SR1695WB**	R0058	R0057	19	2.14

Note \*: The air duct of Intel® Server System SR2600UR, SR2625UR, SR1625UR and SR1600UR will be upgraded and integrated in the server systems in future, in order to support Intel® Integrated RAID Module RMS2MH080. Users that have pre-changed systems could contact Intel to get upgraded air duct.

Note \*\*: If 3<sup>rd</sup> party add-in card is planned to be inserted into the PCI Express x8 Gen2 Slot (Slot 1) of Intel® Server Board S5500WB, please check to ensure the form factor of the 3<sup>rd</sup> party add-in card can fit slot 1 without mechanical conflict with Intel® Integrated RAID Module RMS2MH080.

Note\*\*\*: Due to mechanical limitation, the lowest 2U riser card slot in Intel® Server System SR2600UR / SR2625UR, or the 1U riser card slot in SR1625UR are prohibited to be used when the Intel® Integrated RAID Module RMS2MH080 is inserted.

### 4.2 3<sup>rd</sup> Party Server Boards and Systems

Unless specifically noted, the boards and systems below were configured with the latest software versions available at the time of testing. Check with the 3rd party vendors for more details.

<b>Part Number</b>	<b>Vendor</b>	<b>Product Type</b>
NSR104	CI-Design*	Chassis
NSR212	CI-Design*	Chassis

---

## 5. Enclosures, PCI Adapters, and Peripherals

---

The testing of enclosures, add-in cards, and peripherals was performed on the Intel® Integrated RAID Module RMS2MH080 by Intel labs, independent test labs, or the vendor. Compatibility and stress testing was performed with the latest version of an operating system available at the time of testing.

Although a large sample of configurations were tested, not all devices were tested under all operating systems, and not all possible combinations or configurations of third-party devices were tested for inter-compatibility due to the large number of possible configurations. To verify compatibility, use the Server Configurator Tool available at <http://serverconfigurator.intel.com/default.aspx>.

Add-in adapter card and peripheral compatibility and stress testing is performed with the latest version of an operating system available at the time of testing. The adapters are divided into categories based on their functionality. All integrated on-board devices are tested by default and are, therefore, not included in the following tables.

---

**Note:** *All adapter cards and peripherals were not tested under all operating systems.*

---

Any variations to the standard adapter installation process or to expected adapter functionality are documented in the Installation Guidelines section of this document. If there are installation guidelines affecting a particular adapter and operating system combination, they are referenced in the following table. If the installation guidelines are not noted in the following table, then the adapter installed and functioned as expected using the manufacturer's installation instructions or Intel's best-known methods.

---

**Note:** *Adapter cards are normally tested with unused add-in adapters and on-board controller expansion ROMs disabled in the BIOS Setup. Intel recommends that customers disable the option ROM for add-in controllers and/or the on-board controllers when not booting from the controller or needing to use its built-in utilities.*

---

### 5.1 External Storage

None.

---

## 5.2 Internal Storage

---

**Note:** The enclosures are listed only if they were attached to the Intel® Integrated RAID Module RMS2MH080 during testing. There is no out-of-band enclosure management for a second backplane, so the only way to get enclosure management with two backplanes is to use at least one expander backplane with the Intel® Integrated RAID Module RMS2MH080.

---

Please refer to Section 4.1 for details.

## Tape and Optical Drives

---

**Note:** The tape and optical drives are listed only if they were attached to this Intel® Integrated RAID Module RMS2MH080 during testing.

---

Manufacturer	Model Name	Model Number	Interface
N/A	N/A	N/A	N/A



## 6. Hard Disk Drives and Solid State Drives

The testing of hard disk drives and solid state drives was performed with the Intel® Integrated RAID Module RMS2MH080 by Intel labs, independent test labs, or vendors. The compatibility and stress testing is performed with the latest version of an operating system available at the time of testing. Although a large sample of configurations was tested, not all devices were tested under all operating systems, and not all possible combinations or configurations of third-party devices were tested for inter-compatibility due to the large number of possible configurations. To verify that the device is included for the server board as well as for the Intel® Integrated RAID Module RMS2MH080, use the Server Configurator tool available at: <http://serverconfigurator.intel.com/default.aspx>.

**Note:** All hard disk drives and solid state drives were not tested under all operating systems.

Any variations to the standard adapter installation process or to the expected adapter functionality are documented in the 'Installation Guidelines' section of this document. If there are installation guidelines affecting a particular adapter and operating system combination, these are referenced in the following table. If the installation guidelines are not noted in the following table, then the adapter installed and functioned as expected using the manufacturer's installation instructions or Intel's best-known methods.

### 6.1 Hard Disk Drives and Solid State Drives (SSD)

**Note:** The hard disk drives and solid state drives are listed in the following table only if they were attached to the Intel® Integrated RAID Module RMS2MH080 during testing.

**Note:** To select hard drives for Intel® Server Chassis and Intel® Server System, please use the Server Configurator tool available at: <http://serverconfigurator.intel.com/default.aspx>.

#### Solid State Drive List:

Manufacture	Type	Speed	Model	FW version	Capacity	Size
ADATA	SATA	3Gb/s	AS599S-128GM-C	3.1.0	128GB	2.5"
ADATA	SATA	3Gb/s	AS599S-256GM-C	3.1.0	256GB	2.5"
ANOBIT	SATA	3Gb/s	Genesis-1	2.21	200GB	3.5"
Intel	SATA	6Gb/s	SSDSC2MH250A2xx	PWG4	250GB	2.5"
Intel	SATA	6Gb/s	SSDSC2MH120A2xx	PPG4	120GB	2.5"
Intel	SATA	3Gb/s	SSDSA2BW80G3	302	80GB	2.5"
Intel	SATA	3Gb/s	SSDSA2BW120G3	302	120GB	2.5"
Intel	SATA	3Gb/s	SSDSA2BW160G3	302	160GB	2.5"
Intel	SATA	3Gb/s	SSDSA2BW300G3	302	300GB	2.5"
Intel	SATA	3Gb/s	SSDSA2BW600G3	302	600GB	2.5"
Intel	SATA	3Gb/s	SSDSA2BZ100G3	350	200GB	2.5"
Intel	SATA	3Gb/s	SSDSA2BZ200G3	350	200GB	2.5"
Intel	SATA	3Gb/s	SSDSA2BZ300G3	350	200GB	2.5"
Intel	SATA	3Gb/s	X25-E,SSDSA2SH032G1	8790	32GB	2.5"
Intel	SATA	3Gb/s	X25-E,SSDSA2SH064G1	8790	64GB	2.5"
Intel	SATA	3Gb/s	X25-E,SSDSA2SH064G1GN	8850	64GB	2.5"
Intel	SATA	3Gb/s	X25-M,SSDSA2MH080G1	8626	80GB	2.5"
Intel	SATA	3Gb/s	X25-M,SSDSA2ME20	350	200GB	2.5"
Intel	SATA	3Gb/s	X25-M,SSDSA2MH160G1	8820/8626	160GB	2.5"

Manufacture	Type	Speed	Model	FW version	Capacity	Size
Intel	SATA	3Gb/s	X25-M,SSDSA2M080G2GC	02HD	80GB	2.5"
Intel	SATA	3Gb/s	X25-M,SSDSA2MH160G2GC	02HD	160GB	2.5"
Micron	SATA	6Gb/s	MTFDDAC100SAL-1N1AA	1	200GB	2.5"
Micron	SATA	6Gb/s	MTFDDAC200SAL-1N1AA	1	100GB	2.5"
Micron	SATA	6Gb/s	MTFDDAC50SAL-1N1AA	1	50GB	2.5"
Micron	SATA	6Gb/s	MTFDDAK064MAG-1G1	2	64GB	2.5"
Micron	SATA	6Gb/s	MTFDDAK128MAG-1G1	2	128GB	2.5"
Micron	SATA	6Gb/s	MTFDDAK256MAG-1G1	2	256GB	2.5"
OCZ Technology	SATA	3Gb/s	ITDCSTE025M2002	1.5E	240GB	2.5"
OCZ Technology	SATA	6Gb/s	D2CSTK251M11012	2.08	120GB	2.5"
OCZ Technology	SATA	6Gb/s	Vertex 3 VTX3-25SAT3-120G	2.08	120GB	2.5"
PATRIOT MEMORY	SATA	3Gb/s	PatriotTorqx12	1881	120GB	2.5"
HITACHI	SAS	6Gb/s	HUSSL4040ASS600	A131	400GB	2.5"
PLANT	SAS	3Gb/s	LS300S	T101	300GB	3.5"
PLANT	SAS	3Gb/s	LS150S	P104	150GB	3.5"
PLANT	SAS	3Gb/s	LB150S	P103	150GB	2.5"
PLANT	SAS	3Gb/s	LB150M	P103	150GB	2.5"
PLANT	SAS	3Gb/s	LB400M	P200	400GB	2.5"
PLANT	SAS	3Gb/s	LB200M	P200	200GB	2.5"
SAMSUNG	SATA	3Gb/s	MCBQE25G		25GB	2.5"
SAMSUNG	SATA	3Gb/s	2.5"50GBSSDSATA	803Q	50GB	2.5"
SAMSUNG	SATA	3Gb/s	2.5" 100GBSSDSATA	803Q	100GB	2.5"
STEC	SAS	6Gb/s	Z16IZF2D-200UC	E124	200GB	2.5"
STEC	SATA	1.5Gb/s	MACH8 IO	2084	22GB	2.5"
STEC	SATA	1.5Gb/s	M8ISB2-25UC	2119	25GB	2.5"
STEC	SATA	1.5Gb/s	M8ISB2-50UC	2119	50GB	2.5"
SUPER TALENT	SATA	3Gb/s	FTM12CT25H	STTMP2	120GB	2.5"
KINGSTON	SATA	3Gb/s	SNVP325-S2/256GB	201	256GB	2.5"
KINGSTON	SATA	3Gb/s	SNVP325-S2/512GB	202	512GB	2.5"
Toshiba	SAS	6Gb/s	MK4001GRZB	107	400GB	2.5"
Uniden	SATA	3Gb/s	UGB88PGB100HB1-ES	RC Rev1	100GB	2.5"
Uniden	SATA	3Gb/s	UGB88APT128HS3	1916	128GB	2.5"
CORSAIR	SATA	3Gb/s	CMFSSD-64D1	0.1	64GB	2.5"

### Hard Disk Drive List:

Manufacture	Type	Speed	Model	FW version	Capacity	Size	RPM
Toshiba	SAS	6Gb/s	MBF2600RC	107	600GB	2.5"	10K
Toshiba	SAS	6Gb/s	MK2001TRKB	105	2TB	3.5"	7200
Toshiba	SATA	3Gb/s	MK5061GSYB	ME0A	500GB	2.5"	7200
Toshiba	SATA	3Gb/s	MK2001TSKB	MT1A	2TB	3.5"	7200
Fujitsu	SAS	6Gb/s	MBE2073RC	103	73GB	2.5"	15K
Fujitsu	SAS	6Gb/s	MBD2300RC	D807	300GB	2.5"	10K
Fujitsu	SAS	6Gb/s	MBE2147RC	103	147GB	2.5"	15K
Fujitsu	SAS	6Gb/s	MBD2147RC	102	147GB	2.5"	10K
Fujitsu	SAS	3Gb/s	MBB2073RC	105	73GB	2.5"	10K
Fujitsu	SAS	3Gb/s	MAV2036RC	108	36GB	2.5"	10K
Fujitsu	SAS	3Gb/s	MBC2073RC	104	73GB	2.5"	15K
Fujitsu	SAS	3Gb/s	MBB2147RC	105	140GB	2.5"	10K
Fujitsu	SAS	3Gb/s	MAU3147RC	104	147GB	3.5"	15K

Manufacture	Type	Speed	Model	FW version	Capacity	Size	RPM
Fujitsu	SAS	3Gb/s	MBA3300RC	103	300GB	3.5"	15K
Fujitsu	SAS	3Gb/s	MBA3147RC	103	147GB	3.5"	15K
Fujitsu	SAS	3Gb/s	MBA3073RC	103	73GB	3.5"	15K
Fujitsu	SAS	3Gb/s	MAX3036RC	104	36GB	3.5"	15K
Fujitsu	SAS	3Gb/s	MAX3073RC	104	73GB	3.5"	15K
Fujitsu	SAS	3Gb/s	MAX3036RC	D207	36GB	3.5"	15K
Fujitsu	SAS	3Gb/s	MAX3147RC	5202	146GB	3.5"	15K
Fujitsu	SATA	3Gb/s	MHZ2320B	0009	320GB	2.5"	5400
Fujitsu	SATA	3Gb/s	MHZ2320B	001E	320GB	2.5"	5400
Fujitsu	SATA	3Gb/s	MJA2320B	0018	320GB	2.5"	5400
Fujitsu	SATA	3Gb/s	MHZ2160B	011E	160GB	2.5"	7200
Fujitsu	SATA	3Gb/s	MHZ2160B	0009	160GB	2.5"	7200
Fujitsu	SATA	3Gb/s	MHZ2250B	0009	250GB	2.5"	5400
Fujitsu	SATA	3Gb/s	MHZ2250B	001E	250GB	2.5"	5400
Fujitsu	SATA	3Gb/s	MJA2400B	0018	400GB	2.5"	5400
Fujitsu	SATA	3Gb/s	MHZ2080B	001E	80GB	2.5"	5400
Fujitsu	SATA	3Gb/s	MHZ2120B	0109	120GB	2.5"	5400
Hitachi	SAS	6Gb/s	HUC106060CSS600	A202	600GB	2.5"	10K
Hitachi	SAS	6Gb/s	HUC106060CSS601	B2A0	600GB	2.5"	FDE
Hitachi	SAS	6Gb/s	HUC106045CSS600	A202	450GB	2.5"	10K
Hitachi	SAS	6Gb/s	HUC106060CSS600	A150	600GB	2.5"	10K
Hitachi	SAS	6Gb/s	HUS156030VLS600	A5D0	300GB	3.5"	15K
Hitachi	SAS	6Gb/s	HUS156060VLS601	B530	600GB	3.5"	SED
Hitachi	SAS	6Gb/s	HUS156060VLS600	A5D0	600GB	3.5"	15K
Hitachi	SAS	6Gb/s	HUC151473CSS600	A5D0	73GB	2.5"	15K
Hitachi	SAS	6Gb/s	HUC151414CSS600	A5D0	147GB	2.5"	15K
Hitachi	SAS	6Gb/s	HUC151414CSS600	A370	147GB	2.5"	15K
Hitachi	SAS	6Gb/s	HUC103014CSS600	A5D0	147G	2.5"	10K
Hitachi	SAS	6Gb/s	HUC103030CSS600	A5D0	300GB	2.5"	10K
Hitachi	SAS	6Gb/s	HUC151414CSS600	A5D0	147GB	2.5"	15K
Hitachi	SAS	6Gb/s	HUC151473CSS600	A330	73GB	2.5"	15K
Hitachi	SAS	6Gb/s	HUC103014CSS600	A120	147GB	2.5"	10K
Hitachi	SAS	6Gb/s	HUS156045VLS600	A202	450GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS151436VLS300	A130	36GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS151436VLS300	A230	36GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS153073VLS300	A110	73GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS151473VLS300	A120	73GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS151414VLS300	A110	146GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS151414VLS300	A420	147GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS151473VLS300	A230	73GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS151473VLS300	A211	73GB	3.5"	15K
Hitachi	SATA	3Gb/s	HDS725050KLA360	ABOA	500GB	3.5"	7200
Hitachi	SAS	3Gb/s	HUS151473VLS300	A211	73GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS156030VLS600	A310	300GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS151436VLS300	A110	36GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS151436VLS300	A420	36GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS151436VLS300	A350	36GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS154530VLS300	A4B0	300GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS154545VLS300	A4B0	450GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS151473VLS300	A340	73GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS153030VLS300	A120	300GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS151473VLS300	A130	73GB	3.5"	15K
Hitachi	SAS	3Gb/s	HUS151436VLS300	A48B	36GB	3.5"	15K
Hitachi	SATA	6Gb/s	HUA723030ALA640	A5C0	3TB	3.5"	7200
Hitachi	SATA	6Gb/s	HUA723020ALA641	A5C0	2TB	3.5"	FDE
Hitachi	SATA	6Gb/s	HDS723030ALA640	A5C0	3TB	3.5"	7200
Hitachi	SATA	6Gb/s	HDS723030ALA660	A5C0	3TB	3.5"	7200

Manufacture	Type	Speed	Model	FW version	Capacity	Size	RPM
Hitachi	SATA	6Gb/s	HUA723020ALA640	A5C0	2TB	3.5"	7200
Hitachi	SATA	3Gb/s	HDE721010SLA330	A31B	1TB	3.5"	7200
Hitachi	SATA	3Gb/s	HDS728080PLA380	A69A	82GB	3.5"	7200
Hitachi	SATA	3Gb/s	HDS722512VLSA80	A63A	120GB	3.5"	7200
Hitachi	SATA	3Gb/s	HDS72161	AB1A	160GB	3.5"	7200
Hitachi	SATA	3Gb/s	HDT72502	A72A	250GB	3.5"	7200
Hitachi	SATA	3Gb/s	HDP72503	A52A	320GB	3.5"	7200
Hitachi	SATA	3Gb/s	HDT722525DLA380	A80A	250GB	3.5"	7200
Hitachi	SATA	3Gb/s	S728080PLA380	PF2O	80GB	3.5"	7200
Hitachi	SATA	3Gb/s	HDT722525DLA380	A60A	250GB	3.5"	7200
Hitachi	SATA	3Gb/s	HDS722580VLSA80	A63A	80GB	3.5"	7200
Hitachi	SATA	3Gb/s	HDS728080PLA380	A60A	82GB	3.5"	7200
Hitachi	SATA	3Gb/s	HDS728080PLA380	A6BA	82GB	3.5"	7200
Hitachi	SATA	3Gb/s	HDT722516DLA380	A80A	160GB	3.5"	7200
Hitachi	SATA	3Gb/s	HDS72161	ABEA	160GB	3.5"	7200
Hitachi	SATA	3Gb/s	HUA72101	A70M	1TB	3.5"	7200
Hitachi	SATA	3Gb/s	HUA72201	A25C	1TB	3.5"	7200
Hitachi	SATA	3Gb/s	HUA722010CLA330	25C	1TB	3.5"	7200
Hitachi	SATA	3Gb/s	HUA72201	A39C	1TB	3.5"	7200
Hitachi	SATA	3Gb/s	HDS722020ALA330	A20N	2TB	3.5"	7200
Hitachi	SATA	3Gb/s	H7220AA30SUN20T	A2DZ	2TB	3.5"	7200
Hitachi	SATA	3Gb/s	HUA72202ALA330	A00U	2TB	3.5"	7200
Hitachi	SATA	3Gb/s	HDS72202ALA330	A20N	2TB	3.5"	7200
Hitachi	SATA	3Gb/s	HDT72010SLA360	A3AA	1TB	3.5"	7200
Hitachi	SAS	3Gb/s	HUS151473VLS300	A230	73GB	3.5"	15K
Hitachi	SATA	3Gb/s	HDE721050SLA330	GM40	500GB	3.5"	7200
Hitachi	SATA	3Gb/s	HDT721010SLA360	A3AA	1TB	3.5"	7200
IBM	SAS	6Gb/s	ESXST9146852SS	B623	146GB	2.5"	15K
IBM	SAS	3Gb/s	ESXSST973452SS	B6233	72GB	2.5"	15K
IBM	SAS	3Gb/s	ESXSMA3073RC	T904	80GB	3.5"	15K
IBM	SAS	3Gb/s	ESXSBBA036C3ESTT0Z	BH0D	36GB	3.5"	10K
IBM	SAS	3Gb/s	MAX3073RC	T904	73GB	3.5"	15K
IBM	SAS	3Gb/s	VPA073C3-ETS10N	A540	73GB	3.5"	15K
IBM	SAS	3Gb/s	MAX3147RC	T904	146GB	3.5"	15K
IBM	SAS	3Gb/s	ST3300555SS	BA33	300GB	3.5"	15K
IBM	SAS	3Gb/s	VPA146C3-ETS10	A49A	146GB	3.5"	15K
IBM	SAS	3Gb/s	ST3146855SS	BA23	146GB	3.5"	15K
IBM	SAS	3Gb/s	ST3300555SS	BA33	300GB	3.5"	15K
IBM	SAS	3Gb/s	GNA300C3ESTT0ZN	BH0D	300GB	3.5"	15K
IBM	SAS	3Gb/s	MBC2073RC	SC03	73GB	2.5"	15K
IBM	SAS	3Gb/s	ST973452SS	B623	73GB	2.5"	15K
IBM	SAS	3Gb/s	BBA036C3ESTT0ZN	BH0D	36GB	3.5"	15K
IBM	SAS	3Gb/s	ST336754SS	BA17	36GB	3.5"	15K
IBM	SAS	3Gb/s	MAX3036RC	T904	36GB	3.5"	15K
IBM	SAS	3Gb/s	ESXSVPA073C3	NA49	73GB	3.5"	
IBM	SAS	3Gb/s	ST373454SS	BA1A	73GB	3.5"	15K
IBM	SAS	3Gb/s	ST373455SS	BA23	73GB	3.5"	15K
IBM	SAS	3Gb/s	MAX3073RC	T904	73GB	3.5"	15K
IBM	SAS	3Gb/s	VPA073C3-ETS10N	A540	73GB	3.5"	15K
IBM	SAS	3Gb/s	VPA073C3-ETS10N	A49A	73GB	3.5"	15K
IBM	SAS	3Gb/s	VPA073C3-ETS10N	A49B	73GB	3.5"	15K
IBM	SAS	3Gb/s	GNA073C3ESTT0Z N	BH0G	73GB	3.5"	
IBM	SAS	3Gb/s	GNA073C3ESTT0Z N	BH0D	73GB	3.5"	
IBM	SAS	3Gb/s	ST3146855SS	BA23	146GB	3.5"	15K
IBM	SAS	3Gb/s	VPA146C3-ETS10	A49A	146GB	3.5"	
IBM	SAS	3Gb/s	VPA146C3-ETS10	A49B	146GB	3.5"	15K

Manufacture	Type	Speed	Model	FW version	Capacity	Size	RPM
IBM	SAS	3Gb/s	VPA146C3-ETS10	A540	146GB	3.5"	15K
IBM	SAS	3Gb/s	GNA300C3ESTT0Z N	BH0D	300GB	3.5"	
Maxtor	SAS	3Gb/s	ATLAS10K5_073SAS	BP05	73GB	3.5"	10K
Maxtor	SAS	3Gb/s	ATLAS15K2_73SAS	BG34	73GB	3.5"	15K
Maxtor	SAS	3Gb/s	ATLAS10K5_147SAS	BK05	146GB	3.5"	10K
Maxtor	SAS	3Gb/s	8K147S0	MS05	146GB	3.5"	15K
Maxtor	SAS	3Gb/s	ATLAS10K5_300SAS	BP05	300GB	3.5"	10K
Maxtor	SAS	3Gb/s	8K036S0	MS05	36GB	3.5"	15K
Maxtor	SAS	3Gb/s	ATLAS15K2_36SAS	BK00	36GB	3.5"	15K
Maxtor	SAS	3Gb/s	ATLAS15K2_36SAS	BP05	36GB	3.5"	15K
Maxtor	SAS	3Gb/s	ATLAS10K5_073SAS	BG34	73GB	3.5"	10K
Maxtor	SAS	3Gb/s	ATLAS10K5_073SAS	BP00	73GB	3.5"	10K
Maxtor	SAS	3Gb/s	ATLAS10K5_147SAS	0103	146GB	3.5"	10K
Maxtor	SAS	3Gb/s	ATLAS10K5_147SAS	BP05	146GB	3.5"	10K
Maxtor	SAS	3Gb/s	ATLAS10K5_300SAS	BP00	300GB	3.5"	10K
Maxtor	SAS	3Gb/s	ATLAS10K5_147SAS	BP00	146GB	3.5"	10K
Maxtor	SAS	3Gb/s	ATLAS10K5_73SAS	BG3H	73GB	3.5"	10K
Maxtor	SAS	3Gb/s	ATLAS15K2_36SAS	BG3R	36GB	3.5"	15K
Maxtor	SATA	3Gb/s	6B300S0	1980	300GB	3.5"	7200
Maxtor	SAS	3Gb/s	8J300S0	MS05	300GB	3.5"	10K
Maxtor	SAS	3Gb/s	ATLAS10K5_73SAS	BG3R	73GB	3.5"	10K
Samsung	SATA	3Gb/s	SP2504C	0-33	250GB	3.5"	
Samsung	SATA	3Gb/s	HE103UJ	1111	1TB	3.5"	7200
Samsung	SATA	3Gb/s	HE103UJ	1113	1TB	3.5"	7200
Samsung	SATA	3Gb/s	HD204UI	1101	2TB	3.5"	5400
Seagate	SAS	6Gb/s	ST33000650SS	0001	3TB	3.5"	7200
Seagate	SAS	6Gb/s	ST2000NM0001	0001	2TB	3.5"	7200
Seagate	SAS	6Gb/s	ST1000NM0001	0001	1TB	3.5"	7200
Seagate	SAS	6Gb/s	ST500NM0001	0001	500GB	3.5"	7200
Seagate	SAS	6Gb/s	ST33000650SS	F901	3TB	3.5"	7200
Seagate	SAS	6Gb/s	ST9450404SS	0004	450GB	2.5"	10K
Seagate	SAS	6Gb/s	ST31000424SS	0004	1TB	3.5"	7200
Seagate	SAS	6Gb/s	ST3500414SS	0004	500GB	3.5"	7200
Seagate	SAS	6Gb/s	ST9500431SS	DSF0	500GB	2.5"	7200
Seagate	SAS	6Gb/s	ST973452SS	B623	73GB	2.5"	15K
Seagate	SAS	6Gb/s	ST9146852SS	B623	146GB	2.5"	15K
Seagate	SAS	6Gb/s	ST3300657SS	0006	300GB	3.5"	15K
Seagate	SAS	6Gb/s	ST3450857SS	0005	450GB	3.5"	15K
Seagate	SAS	6Gb/s	ST9146803SS	0002	146GB	2.5"	15K
Seagate	SAS	6Gb/s	ST9146803SS	B235	146GB	2.5"	10K
Seagate	SAS	6Gb/s	ST9146703SS	FT00	136GB	2.5"	SED
Seagate	SAS	6Gb/s	ST9146803SS	0004	146GB	2.5"	10K
Seagate	SAS	6Gb/s	ST9146802SS	MSB0	146GB	2.5"	10K
Seagate	SAS	6Gb/s	ST9300603SS	B248	300GB	2.5"	10K
Seagate	SAS	6Gb/s	ST9500430SS	0001	500GB	2.5"	7200
Seagate	SAS	6Gb/s	ST9146703SS	MSB3	147GB	2.5"	10K
Seagate	SAS	6Gb/s	ST9146802SS	MSB03	146GB	2.5"	10K
Seagate	SAS	6Gb/s	ST9146802SS	0207	146GB	2.5"	10K
Seagate	SAS	6Gb/s	ST9146803SS	ER60	146GB	2.5"	10K
Seagate	SAS	6Gb/s	ST32000444SS	0004	2TB	3.5"	7200
Seagate	SAS	3Gb/s	ST973402SS	MSB0	73GB	2.5"	
Seagate	SAS	3Gb/s	ST373455SS	00013LQ03M3L	73GB	3.5"	
Seagate	SAS	3Gb/s	ST973401SS	S108	73GB	2.5"	10K
Seagate	SAS	3Gb/s	ST336754SS	0003	36GB	3.5"	
Seagate	SAS	3Gb/s	ST373454SS	0002	73GB	3.5"	15K
Seagate	SAS	3Gb/s	ST936701SS	0023	36GB	2.5"	10K

Manufacture	Type	Speed	Model	FW version	Capacity	Size	RPM
Seagate	SAS	3Gb/s	ST336754SS	S4123KQ0ST37	36GB	2.5"	15K
Seagate	SAS	3Gb/s	ST973401SS	0002	73GB	2.5"	10K
Seagate	SAS	3Gb/s	ST973402SS	0207	73GB	2.5"	10K
Seagate	SAS	3Gb/s	ST973402SS	MS003	73GB	2.5"	10K
Seagate	SAS	3Gb/s	ST3146756SS	D3C7	146GB	3.5"	SED
Seagate	SAS	3Gb/s	ST3450056SS	D3C7	450GB	3.5"	SED
Seagate	SAS	3Gb/s	ST336754SS	0023	36GB	3.5"	15K
Seagate	SAS	3Gb/s	ST336754SS	S410	36GB	3.5"	15K
Seagate	SAS	3Gb/s	ST336754SS	S4103KQ1SEDX	36GB	3.5"	15K
Seagate	SAS	3Gb/s	ST336754SS	S4123KQ1TLFW	36GB	3.5"	15K
Seagate	SAS	3Gb/s	ST336754SS	1501	36GB	3.5"	15K
Seagate	SAS	3Gb/s	ST336754SS	1502	36GB	3.5"	15K
Seagate	SAS	3Gb/s	ST373454SS	0023	73GB	3.5"	15K
Seagate	SAS	3Gb/s	ST373454SS	S412	73GB	3.5"	15K
Seagate	SAS	3Gb/s	ST373454SS	S410	73GB	3.5"	15K
Seagate	SAS	3Gb/s	ST373454SS	0003	73GB	3.5"	15K
Seagate	SAS	3Gb/s	ST373454SS	MS02	73GB	3.5"	15K
Seagate	SAS	3Gb/s	ST373454SS	0002	73GB	3.5"	15K
Seagate	SAS	3Gb/s	ST3146854SS	S4123KN01YAD	146GB	3.5"	15K
Seagate	SAS	3Gb/s	ST3146854SS	S410	146GB	3.5"	15K
Seagate	SAS	3Gb/s	ST3146854SS	0003	146GB	3.5"	
Seagate	SAS	3Gb/s	ST3146854SS	0002	146GB	3.5"	
Seagate	SAS	3Gb/s	ST3146854SS	1503	146GB	3.5"	
Seagate	SAS	3Gb/s	ST373454SS	1503	73GB	3.5"	15K
Seagate	SAS	3Gb/s	ST3146854SS	0033	146GB	3.5"	15K
Seagate	SAS	3Gb/s	ST3146854SS	0023	146GB	3.5"	15K
Seagate	SAS	3Gb/s	ST3146854SS	S412	146GB	3.5"	15K
Seagate	SAS	3Gb/s	ST373455SS	S527	73GB	3.5"	
Seagate	SAS	3Gb/s	ST3146854SS	MS04	146GB	3.5"	
Seagate	SAS	6Gb/s	ST973352SS	0002	73GB	2.5"	SED
Seagate	SAS	6Gb/s	ST3600002SS	ER60	600GB	3.5"	10K
Seagate	SAS	6Gb/s	ST336754SS	0004	146GB	2.5"	10K
Seagate	SAS	6Gb/s	ST9300503SS	FT00	300GB	2.5"	SED
Seagate	SAS	3Gb/s	ST3146855SS	S527	146GB	3.5"	
Seagate	SAS	3Gb/s	ST3300056SS	081C	300G	3.5"	
Seagate	SAS	3Gb/s	ST973401LSUN72G	556	72GB	3.5"	
Seagate	SAS	3Gb/s	ST3146356SS	0004	147GB	3.5"	
Seagate	SAS	3Gb/s	ST373455SS	0002	73GB	3.5"	
Seagate	SAS	3Gb/s	ST3146854SS	S412	146GB	3.5"	15K
Seagate	SAS	3Gb/s	ST373455SS	0002	73GB	3.5"	15K
Seagate	SAS	3Gb/s	ST336754SS	0002	36GB	3.5"	
Seagate	SAS	6Gb/s	ST3450802SS	0004	450GB	3.5"	10K
Seagate	SAS	6Gb/s	ST33000651SS	0002	3TB	3.5"	7200
Seagate	SATA	6Gb/s	ST33000651NS	ZZZZ	3TB	3.5"	7200
Seagate	SATA	6Gb/s	ST33000650NS	0001	3TB	3.5"	7200
Seagate	SATA	6Gb/s	ST2000NM0011	SN02	2TB	3.5"	7200
Seagate	SATA	6Gb/s	ST1000NM0011	SN02	1TB	3.5"	7200
Seagate	SATA	6Gb/s	ST500NM0011	SN02	500GB	3.5"	7200
Seagate	SATA	6Gb/s	ST33000650NS	ZZA6	3TB	3.5"	7200
Seagate	SATA	6Gb/s	ST3500410AS	ZZATZZZZ	500GB	3.5"	7200
Seagate	SATA	3Gb/s	ST3250824AS	H	250GB	3.5"	7200
Seagate	SATA	3Gb/s	ST3500641NS	S	500GB	3.5"	
Seagate	SATA	3Gb/s	ST3750640NS	D	750GB	3.5"	7200
Seagate	SATA	3Gb/s	ST3750640NS	3QD1	750GB	3.5"	
Seagate	SATA	3Gb/s	ST3750840NS	E	750GB	3.5"	7200

Manufacture	Type	Speed	Model	FW version	Capacity	Size	RPM
Seagate	SATA	3Gb/s	ST3160827AS	0003	160GB	3.5"	
Seagate	SATA	3Gb/s	ST3250620NS	3.AEE	250GB	3.5"	7200
Seagate	SATA	3Gb/s	ST31000340NS	SN03/SN06	1TB	3.5"	
Seagate	SATA	3Gb/s	ST3160815AS	3.AAD	160GB	3.5"	7200
Seagate	SATA	3Gb/s	ST31000333AS	CC1F	1TB	3.5"	7200
Seagate	SATA	3Gb/s	ST3750840AS	3.AAD	750GB	3.5"	
Seagate	SATA	3Gb/s	ST9500530NS	SN02	500GB	2.5"	
Seagate	SATA	3Gb/s	ST980825AS	3.04	80GB	2.5"	
Seagate	SATA	3Gb/s	ST3250620NS	20.06C07	250GB	3.5"	
Seagate	SATA	3Gb/s	ST3250620NS	3.AEJ	250GB	3.5"	
Seagate	SATA	3Gb/s	ST3250620NS	E	250GB	3.5"	7200
Seagate	SATA	3Gb/s	ST3750640NS	.AEP	750GB	3.5"	
Seagate	SATA	3Gb/s	ST3500630NS	W	500GB	3.5"	
Seagate	SATA	3Gb/s	ST3500641AS	E	500GB	3.5"	
Seagate	SATA	3Gb/s	ST3500320NS	SN05	500GB	3.5"	
Seagate	SATA	3Gb/s	ST3160827AS	3.42	160GB	3.5"	
Seagate	SATA	3Gb/s	ST3500641AS	A002	500GB	3.5"	7200
Seagate	SATA	3Gb/s	ST380815AS	C002	808GB	3.5"	
Seagate	SATA	3Gb/s	ST31000340NS	SU09/SU0D	1TB	3.5"	
Seagate	SATA	3Gb/s	ST31000340NS	SN06	1TB	3.5"	
Seagate	SATA	3Gb/s	ST32000644NS	SN11	2TB	3.5"	
Seagate	SAS	3Gb/s	ST973402SS	MS00	73GB	2.5"	10K
Seagate	SATA	3Gb/s	ST380013AS	3.18	80GB	3.5"	
Seagate	SAS	3Gb/s	ST373455SS	S513	73GB	3.5"	15K
Seagate	SAS	3Gb/s	ST336754SS	S400	36GB	3.5"	
Seagate	SAS	3Gb/s	ST314854SS	0004	146GB	3.5"	15K
Seagate	SAS	3Gb/s	ST936751SS	F401	36GB	2.5"	
Seagate	SAS	3Gb/s	ST3146854SS	1503	146GB	3.5"	
Seagate	SAS	3Gb/s	ST336754SS	S412	36GB	3.5"	15K
Seagate	SAS	3Gb/s	ST3300555SS	MSB0	300GB	3.5"	
Seagate	SAS	3Gb/s	ST31000640SS	E319	1TB	3.5"	
Seagate	SAS	3Gb/s	ST936701SS	0002	36GB	2.5"	
Seagate	SAS	3Gb/s	ST3300655SS	0001	300GB	3.5"	
Seagate	SATA	3Gb/s	ST3250824AS	3.AAH	250GB	3.5"	7200
Seagate	SATA	3Gb/s	ST3808110AS	3AAH	80GB	3.5"	
Seagate	SATA	3Gb/s	ST3160815AS	D	160GB	3.5"	
Seagate	SATA	3Gb/s	ST3200540AS	CC83	2TB	3.5"	4K
Western Digital	SAS	6Gb/s	WD1460BKFG-02P2V0	RG00	146GB	2.5"	10K
Western Digital	SAS	6Gb/s	WD3000BKFG-02P2V0	RG00	300GB	2.5"	10K
Western Digital	SAS	6Gb/s	WD6000BKHG-02A29V0	VG03	600GB	2.5"	10K
Western Digital	SATA	6Gb/s	WD1003FBYX-01Y7B0	1V01	1TB	3.5"	7200
Western Digital	SATA	6Gb/s	WD6000BLHX-01V7BV0	5G04	600GB	2.5"	10K
Western Digital	SATA	6Gb/s	WD5003ABYX-01WERA0	1S01	500GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD3009FYPX-09AAMB0	1001	3TB	3.5"	5400
Western Digital	SATA	3Gb/s	WD2002FYPS-02W3B0	1G01	2TB	3.5"	5400
Western Digital	SATA	3Gb/s	WD2003FYYS-0	0D01	2TB	3.5"	7200
Western Digital	SATA	3Gb/s	WD2002FYPS0	5G04	2TB	3.5"	5400
Western Digital	SATA	3Gb/s	WD10EADS11M	0A80	1TB	3.5"	4K
Western Digital	SATA	3Gb/s	WD5000ABPS-01ZZB0	1B01	500GB	3.5"	5400
Western Digital	SATA	3Gb/s	WD1600YS	6C04	160GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD2000		200GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD2500YS-18S	6C07	250GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD2500YS-23S	6C04	250GB	3.5"	7200

Manufacture	Type	Speed	Model	FW version	Capacity	Size	RPM
Western Digital	SATA	3Gb/s	WD500YS	2/E07	500GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD2500YS	WCAN	250GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD1000FYPS-01ZKB0	1B01	1TB	3.5"	7200
Western Digital	SATA	3Gb/s	WD5001ABYS-01TNA0	1B01	500GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD5000YS-01M	2E07	500GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD5002ABYS-01B1B0	3B03	500GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD3000HLFS-0	4V01	300GB	3.5"	10K
Western Digital	SATA	3Gb/s	WD1002FBYS-0	0C05	1TB	3.5"	7200
Western Digital	SATA	3Gb/s	WD3202ABYS	3B03	320GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD5000ABYS-0	1C01	500GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD1600AABS	6H05	600GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD800JD	1E01	80GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD1200JS	1C03	120GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD740GD-00FL	8F33	740GB	3.5"	10K
Western Digital	SATA	3Gb/s	WD1600JS-00M	1C03	160GB	3.5"	
Western Digital	SATA	3Gb/s	WD4000YR	6A01	400GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD2500JS	1C03	250GB	3.5"	
Western Digital	SATA	3Gb/s	WD4000YD-00K	6G11	400GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD4000YD-00K	6A01	400GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD5000KS	2E06	500GB	3.5"	
Western Digital	SATA	3Gb/s	WD7500AY	4G30	750GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD7500AAKS-0	4G30	750GB	3.5"	
Western Digital	SATA	3Gb/s	WD1003FBYX	1S01	1TB	3.5"	7200
Western Digital	SATA	3Gb/s	WD5003ABYX	1V01	500GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD1600AAJS	6H05	160GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD1600JS-75NCB3	2E04	160GB	3.5"	7200
Western Digital	SATA	3Gb/s	WD1600JS	6C04	160GB	3.5"	7200

Below drives are supported at this RAID module's launch day.

Manufacturer	Model Name	Model Number	Interface	RPM	Drive Size
Seagate	Cheetah* 15K.6 SAS	ST3450856SS*	SAS 3.0 Gb	15000	450GB
Seagate	Cheetah*15K.6 SAS	ST3146356SS*	SAS 3.0 Gb	15,000	146GB
Seagate	Cheetah* 15K.6 SAS	ST3300656SS*	SAS 3.0 Gb	15,000	300GB
Seagate	Cheetah*15K.7 SAS	ST3300657SS*	SAS 6.0 Gb	15,000	300GB
Seagate	Cheetah*15K.7 SAS	ST3450857SS*	SAS 6.0 Gb	15,000	450GB
Seagate	Cheetah*15K.7 SAS	ST3600057SS*	SAS 6.0 Gb	15,000	600GB
Seagate	Constellation ES	ST31000424SS*	SAS 6.0 Gb	7200	1TB
Seagate	Constellation ES	ST32000444SS*	SAS 6.0 Gb	7200	2TB
Seagate	Constellation ES	ST3500414SS*	SAS 6.0 Gb	7200	500GB
Seagate	Constellation ES	ST31000524NS	SATA 3.0 Gb	7200	1TB
Seagate	Constellation ES	ST32000644NS	SATA 3.0 Gb	7200	2TB
Seagate	Constellation ES	ST3500512NS	SATA 3.0 Gb	7200	500GB
Seagate	Barracuda* ES.2	ST31000640SS*	SAS 3.0 Gb	7200	1TB
Seagate	Barracuda* ES.2	ST3500620SS*	SAS 3.0 Gb	7200	500GB
Seagate	Barracuda* ES.2	ST3750630SS*	SAS 3.0 Gb	7200	750GB



Manufacturer	Model Name	Model Number	Interface	RPM	Drive Size
Seagate	Barracuda* ES.2	ST31000340NS	SATA 3.0 Gb	7200	1TB
Seagate	Barracuda* ES.2	ST3250310NS	SATA 3.0 Gb	7200	250GB
Seagate	Barracuda* ES.2	ST3500320NS	SATA 3.0 Gb	7200	500GB
Seagate	Barracuda* ES.2	ST3750330NS	SATA 3.0 Gb	7200	750GB
Western Digital	RE4	WD2002FYPS*	SATA 3.0 Gb	7200	2TB
Western Digital	RE4	WD2003FYYS*	SATA 3.0 Gb	7200	2TB
Seagate	Constellation	ST9500430SS*	SAS 3.0 Gb	7200	500GB
Seagate	Constellation	ST9160511NS	SATA 3.0 Gb	7200	160GB
Seagate	Constellation	ST9500530NS	SATA 3.0 Gb	7200	500GB
Hitachi*	Ultrastar™ 15K600	HUS156060VLS600	SAS 6.0 Gb	15,000	600GB
Hitachi*	Ultrastar™ 15K600	HUS156045VLS600	SAS 6.0 Gb	15,000	450GB
Hitachi*	Ultrastar™ 15K600	HUS156030VLS600	SAS 6.0 Gb	15,000	300GB
Hitachi*	Ultrastar™ 15K600	HUS156060VLS601	SAS 6.0 Gb	15,000	600GB
Hitachi*	Ultrastar™ 15K600	HUS156045VLS601	SAS 6.0 Gb	15,000	450GB
Hitachi*	Ultrastar™ 15K600	HUS156030VLS601	SAS 6.0 Gb	15,000	300GB
Hitachi*	Ultrastar™ C15K147	HUC151414CSS600	SAS 6.0 Gb	15,000	147GB
Hitachi*	Ultrastar™ C15K147	HUC151473CSS600	SAS 6.0 Gb	15,000	73GB
Hitachi*	Ultrastar™ C15K147	HUC151414CSS601	SAS 6.0 Gb	15,000	147GB
Hitachi*	Ultrastar™ C15K147	HUC151473CSS601	SAS 6.0 Gb	15,000	73GB
Seagate	Cheetah 15K.5	ST3300655SS*	SAS 3.0 Gb	15,000	300GB
Seagate	Cheetah 15K.5	ST3146855SS*	SAS 3.0 Gb	15,000	146GB
Seagate	Cheetah 15K.5	ST373455SS*	SAS 3.0 Gb	15,000	73GB
Seagate	Barracuda 7200.10	ST3750640AS	SATA 3.0 Gb	7200	750GB
Seagate	Barracuda 7200.10	ST3750840AS	SATA 3.0 Gb	7200	750GB
Seagate	Barracuda 7200.10	ST3500630AS	SATA 3.0 Gb	7200	500GB
Seagate	Barracuda 7200.10	ST3500830AS	SATA 3.0 Gb	7200	500GB
Seagate	Barracuda 7200.10	ST3400620AS	SATA 3.0 Gb	7200	400GB
Seagate	Barracuda 7200.10	ST3400820AS	SATA 3.0 Gb	7200	400GB
Seagate	Barracuda 7200.10	ST3320620AS	SATA 3.0 Gb	7200	320GB
Seagate	Barracuda 7200.10	ST3320820AS	SATA 3.0 Gb	7200	320GB
Seagate	Barracuda 7200.10	ST3300620AS	SATA 3.0 Gb	7200	300GB
Seagate	Barracuda 7200.10	ST3300820AS	SATA 3.0 Gb	7200	300GB
Seagate	Barracuda 7200.10	ST3250620AS	SATA 3.0 Gb	7200	250GB
Seagate	Barracuda 7200.10	ST3250820AS	SATA 3.0 Gb	7200	250GB
Seagate	Barracuda 7200.10	ST3250410AS	SATA 3.0 Gb	7200	250GB
Seagate	Barracuda 7200.10	ST3250310AS	SATA 3.0 Gb	7200	250GB
Seagate	Barracuda 7200.10	ST3200820AS	SATA 3.0 Gb	7200	200GB
Seagate	Barracuda 7200.10	ST3160815AS	SATA 3.0 Gb	7200	160GB
Seagate	Barracuda 7200.10	ST3160310AS	SATA 3.0 Gb	7200	160GB
Seagate	Barracuda 7200.10	ST3160215AS	SATA 3.0 Gb	7200	160GB
Seagate	Barracuda 7200.10	ST3120815AS	SATA 3.0 Gb	7200	120GB
Seagate	Barracuda 7200.10	ST3120215AS	SATA 3.0 Gb	7200	120GB

Manufacturer	Model Name	Model Number	Interface	RPM	Drive Size
Seagate	Barracuda 7200.10	ST380815AS	SATA 3.0 Gb	7200	80GB
Seagate	Barracuda 7200.10	ST380215AS	SATA 3.0 Gb	7200	80GB
Seagate	Barracuda 7200.10	ST340815AS	SATA 3.0 Gb	7200	40GB
Seagate	Barracuda 7200.10	ST340215AS	SATA 3.0 Gb	7200	40GB

Note \*: These drive support SSC (Spread Spectrum Clocking). SSC enabled drives would provide superior EMI and may be needed for compliance.

Below drives are supported after this RAID module launch.

Manufacture	Type	Speed	Model	FW version	Capacity	Size	RPM
Toshiba*	SAS	6Gb/s	MBF2600RC	0107	600GB	2.5"	10K
Fujitsu*	SAS	6Gb/s	MBE2073RC	0103	73GB	2.5"	15K
Fujitsu*	SAS	6Gb/s	MBD2300RC	D807	300GB	2.5"	10K
Fujitsu*	SAS	6Gb/s	MBE2147RC	0103	147GB	2.5"	15K
Fujitsu*	SAS	6Gb/s	MBD2147RC	0102	147GB	2.5"	10K
Fujitsu*	SAS	3Gb/s	MBB2073RC	0105	73GB	2.5"	10K
Fujitsu*	SAS	3Gb/s	MAV2036RC	0108	36GB	2.5"	10K
Fujitsu*	SAS	3Gb/s	MBC2073RC	0104	73GB	2.5"	15K
Fujitsu*	SAS	3Gb/s	MBB2147RC	0105	140GB	2.5"	10K
Fujitsu*	SAS	3Gb/s	MAU3147RC	0104	147GB	3.5"	15K
Fujitsu*	SAS	3Gb/s	MBA3300RC	0103	300GB	3.5"	15K
Fujitsu*	SAS	3Gb/s	MBA3147RC	0103	147GB	3.5"	15K
Fujitsu*	SAS	3Gb/s	MBA3073RC	0103	73GB	3.5"	15K
Fujitsu*	SAS	3Gb/s	MAX3036RC	0104	36GB	3.5"	15K
Fujitsu*	SAS	3Gb/s	MAX3073RC	0104	73GB	3.5"	15K
Fujitsu*	SAS	3Gb/s	MAX3036RC	D207	36GB	3.5"	15K
Fujitsu*	SAS	3Gb/s	MAX3147RC	5202	146GB	3.5"	15K
Fujitsu*	SATA	3Gb/s	MHZ2320B	0009	320GB	2.5"	5400
Fujitsu*	SATA	3Gb/s	MHZ2320B	001E	320GB	2.5"	5400
Fujitsu*	SATA	3Gb/s	MJA2320B	0018	320GB	2.5"	5400
Fujitsu*	SATA	3Gb/s	MHZ2160B	011E	160GB	2.5"	7200
Fujitsu*	SATA	3Gb/s	MHZ2160B	0009	160GB	2.5"	7200
Fujitsu*	SATA	3Gb/s	MHZ2250B	0009	250GB	2.5"	5400
Fujitsu*	SATA	3Gb/s	MHZ2250B	001E	250GB	2.5"	5400
Fujitsu*	SATA	3Gb/s	MJA2400B	0018	400GB	2.5"	5400
Fujitsu*	SATA	3Gb/s	MHZ2080B	001E	80GB	2.5"	5400
Fujitsu*	SATA	3Gb/s	MHZ2120B	0109	120GB	2.5"	5400
Hitachi*	SAS	6Gb/s	HUC106060CSS600	A840	600GB	2.5"	10K
Hitachi*	SAS	6Gb/s	HUC106060CSS601	B852	600GB	2.5"	FDE
Hitachi*	SAS	6Gb/s	HUC106060CSS600	A150	600GB	2.5"	10K
Hitachi*	SAS	6Gb/s	HUS156030VLS600	A538	300GB	3.5"	15K
Hitachi*	SAS	6Gb/s	HUS156060VLS601	B530	600GB	3.5"	SED
Hitachi*	SAS	6Gb/s	HUS156060VLS600	A392	600GB	3.5"	15K
Hitachi*	SAS	6Gb/s	HUC151473CSS600	A330	73GB	2.5"	15K
Hitachi*	SAS	6Gb/s	HUC151414CSS600	A370	147GB	2.5"	15K
Hitachi*	SAS	6Gb/s	HUC151414CSS600	A330	147GB	2.5"	15K
Hitachi*	SAS	6Gb/s	HUC103014CSS600	A529	147G	2.5"	10K
Hitachi*	SAS	6Gb/s	HUC103030CSS600	A120	300GB	2.5"	10K
Hitachi*	SAS	6Gb/s	HUC151414CSS600	A330	147GB	2.5"	15K
Hitachi*	SAS	6Gb/s	HUC151473CSS600	A330	73GB	2.5"	15K
Hitachi*	SAS	6Gb/s	HUC103014CSS600	A120	147GB	2.5"	10K
Hitachi*	SAS	6Gb/s	HUS156045VLS600	a53E	450GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS151436VLS300	A130	36GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS151436VLS300	A230	36GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS153073VLS300	A110	73GB	3.5"	15K

Manufacture	Type	Speed	Model	FW version	Capacity	Size	RPM
Hitachi*	SAS	3Gb/s	HUS151473VLS300	A120	73GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS151414VLS300	A110	146GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS151414VLS300	A420	147GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS151473VLS300	A230	73GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS151473VLS300	A211	73GB	3.5"	15K
Hitachi*	SATA	3Gb/s	HDS725050KLA360	ABOA	500GB	3.5"	7200
Hitachi*	SAS	3Gb/s	HUS151473VLS300	A211	73GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS156030VLS600	A310	300GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS151436VLS300	A110	36GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS151436VLS300	A420	36GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS151473VLS300	A230	73GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS151436VLS300	A350	36GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS154530VLS300	A4B0	300GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS154545VLS300	A4B0	450GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS151473VLS300	A340	73GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS153030VLS300	A120	300GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS151473VLS300	A130	73GB	3.5"	15K
Hitachi*	SAS	3Gb/s	HUS151436VLS300	A48B	36GB	3.5"	15K
Hitachi*	SATA	3Gb/s	HDS722020ALA330	A20N	2TB	3.5"	7200
Hitachi*	SATA	3Gb/s	H7220AA30SUN20T	A2DZ	2TB	3.5"	7200
Hitachi*	SATA	3Gb/s	HUA72202ALA330	A00U	2TB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDT721010SLA360	A3AA	1TB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDE721050SLA330	GM40	500GB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDE721010SLA330	A31B	1TB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDS728080PLA380	A69A	82GB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDS722512VLSA80	A63A	120GB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDS72161	AB1A	160GB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDT72502	A72A	250GB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDP72503	A52A	320GB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDT722525DLA380	A80A	250GB	3.5"	7200
Hitachi*	SATA	3Gb/s	S728080PLA380	PF2O	80GB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDT722525DLA380	A60A	250GB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDS722580VLSA80	A63A	80GB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDS728080PLA380	A60A	82GB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDS728080PLA380	A6BA	82GB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDT722516DLA380	A80A	160GB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDS72161	ABEA	160GB	3.5"	7200
Hitachi*	SATA	3Gb/s	HUA72101	A70M	1TB	3.5"	7200
Hitachi*	SATA	3Gb/s	HUA72201	A25C	1TB	3.5"	7200
Hitachi*	SATA	3Gb/s	HUA722010CLA330	25C	1TB	3.5"	7200
Hitachi*	SATA	3Gb/s	HUA72201	A39C	1TB	3.5"	7200
Hitachi*	SATA	6Gb/s	HDS723030ALA640	A380	3TB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDS72202ALA330	A20N	2TB	3.5"	7200
Hitachi*	SATA	3Gb/s	HDT72010SLA360	A3AA	1TB	3.5"	7200
IBM*	SAS	6Gb/s	ESXST9146852SS	B623	146GB	2.5"	15K
IBM*	SAS	3Gb/s	ESXSST973452SS	B6233	72GB	2.5"	15K
IBM*	SAS	3Gb/s	ESXSMA3073RC	T904	80GB	3.5"	15K
IBM*	SAS	3Gb/s	ESXSBBA036C3ESTT0Z	BH0D	36GB	3.5"	10K
IBM*	SAS	3Gb/s	MAX3073RC	T904	73GB	3.5"	15K
IBM*	SAS	3Gb/s	VPA073C3-ETS10N	A540	73GB	3.5"	15K
IBM*	SAS	3Gb/s	MAX3147RC	T904	146GB	3.5"	15K
IBM*	SAS	3Gb/s	ST3300555SS	BA33	300GB	3.5"	15K
IBM*	SAS	3Gb/s	VPA146C3-ETS10	A49A	146GB	3.5"	15K
IBM*	SAS	3Gb/s	ST3146855SS	BA23	146GB	3.5"	15K
IBM*	SAS	3Gb/s	ST3300555SS	BA33	300GB	3.5"	15K
IBM*	SAS	3Gb/s	GNA300C3ESTT0ZN	BH0D	300GB	3.5"	15K
IBM*	SAS	3Gb/s	MBC2073RC	SC03	73GB	2.5"	15K

Manufacture	Type	Speed	Model	FW version	Capacity	Size	RPM
IBM*	SAS	3Gb/s	ST973452SS	B623	73GB	2.5"	15K
IBM*	SAS	3Gb/s	BBA036C3ESTT0ZN	BH0D	36GB	3.5"	15K
IBM*	SAS	3Gb/s	ST336754SS	BA17	36GB	3.5"	15K
IBM*	SAS	3Gb/s	MAX3036RC	T904	36GB	3.5"	15K
IBM*	SAS	3Gb/s	ESXSVA073C3	NA49	73GB	3.5"	15K
IBM*	SAS	3Gb/s	ST373454SS	BA1A	73GB	3.5"	15K
IBM*	SAS	3Gb/s	ST373455SS	BA23	73GB	3.5"	15K
IBM*	SAS	3Gb/s	MAX3073RC	T904	73GB	3.5"	15K
IBM*	SAS	3Gb/s	VPA073C3-ETS10N	A540	73GB	3.5"	15K
IBM*	SAS	3Gb/s	VPA073C3-ETS10N	A49A	73GB	3.5"	15K
IBM*	SAS	3Gb/s	VPA073C3-ETS10N	A49B	73GB	3.5"	15K
IBM*	SAS	3Gb/s	GNA073C3ESTT0Z N	BH0G	73GB	3.5"	15K
IBM*	SAS	3Gb/s	GNA073C3ESTT0Z N	BH0D	73GB	3.5"	15K
IBM*	SAS	3Gb/s	ST3146855SS	BA23	146GB	3.5"	15K
IBM*	SAS	3Gb/s	VPA146C3-ETS10	A49A	146GB	3.5"	15K
IBM*	SAS	3Gb/s	VPA146C3-ETS10	A49B	146GB	3.5"	15K
IBM*	SAS	3Gb/s	VPA146C3-ETS10	A540	146GB	3.5"	15K
IBM*	SAS	3Gb/s	GNA300C3ESTT0Z N	BH0D	300GB	3.5"	15K
Maxtor*	SAS	3Gb/s	ATLAS10K5_073SAS	BP05	73GB	3.5"	10K
Maxtor*	SAS	3Gb/s	ATLAS15K2_73SAS	BG34	73GB	3.5"	15K
Maxtor*	SAS	3Gb/s	ATLAS10K5_147SAS	BK05	146GB	3.5"	10K
Maxtor*	SAS	3Gb/s	8K147S0	MS05	146GB	3.5"	15K
Maxtor*	SAS	3Gb/s	ATLAS10K5_300SAS	BP05	300GB	3.5"	10K
Maxtor*	SAS	3Gb/s	8K036S0	MS05	36GB	3.5"	15K
Maxtor*	SAS	3Gb/s	ATLAS15K2_36SAS	BK00	36GB	3.5"	15K
Maxtor*	SAS	3Gb/s	ATLAS15K2_36SAS	BP05	36GB	3.5"	15K
Maxtor*	SAS	3Gb/s	ATLAS10K5_073SAS	BG34	73GB	3.5"	10K
Maxtor*	SAS	3Gb/s	ATLAS10K5_073SAS	BP00	73GB	3.5"	10K
Maxtor*	SAS	3Gb/s	ATLAS10K5_147SAS	103	146GB	3.5"	10K
Maxtor*	SAS	3Gb/s	ATLAS10K5_147SAS	BP05	146GB	3.5"	10K
Maxtor*	SAS	3Gb/s	ATLAS10K5_300SAS	BP00	300GB	3.5"	10K
Maxtor*	SAS	3Gb/s	ATLAS10K5_147SAS	BP00	146GB	3.5"	10K
Maxtor*	SAS	3Gb/s	ATLAS10K5_73SAS	BG3H	73GB	3.5"	10K
Maxtor*	SAS	3Gb/s	ATLAS15K2_36SAS	BG3R	36GB	3.5"	15K
Maxtor*	SATA	3Gb/s	6B300S0	1980	300GB	3.5"	7200
Maxtor*	SAS	3Gb/s	8J300S0	MS05	300GB	3.5"	10K
Maxtor*	SAS	3Gb/s	ATLAS10K5_73SAS	BG3R	73GB	3.5"	10K
Samsung*	SATA	3Gb/s	SP2504C	0-33	250GB	3.5"	7200
Samsung*	SATA	3Gb/s	HE103UJ	1111	1TB	3.5"	7200
Samsung*	SATA	3Gb/s	HE103UJ	1113	1TB	3.5"	7200
Seagate*	SAS	6Gb/s	ST973352SS	0002	73GB	2.5"	SED
Seagate*	SAS	6Gb/s	ST9450404SS	0004	450GB	2.5"	10K
Seagate*	SAS	6Gb/s	ST31000424SS	0004	1TB	3.5"	7200
Seagate*	SAS	6Gb/s	ST3500414SS	0004	500GB	3.5"	7200
Seagate*	SAS	6Gb/s	ST9500431SS	DSF0	500GB	2.5"	7200
Seagate*	SAS	6Gb/s	ST973452SS	B623	73GB	2.5"	15K
Seagate*	SAS	6Gb/s	ST9146852SS	B623	146GB	2.5"	15K
Seagate*	SAS	6Gb/s	ST3300657SS	0006	300GB	3.5"	15K
Seagate*	SAS	6Gb/s	ST3450857SS	0005	450GB	3.5"	15K
Seagate*	SAS	6Gb/s	ST9146803SS	0002	146GB	2.5"	15K
Seagate*	SAS	6Gb/s	ST9146803SS	B235	146GB	2.5"	10K
Seagate*	SAS	6Gb/s	ST9146703SS	FT00	136GB	2.5"	SED
Seagate*	SAS	6Gb/s	ST9146803SS	0004	146GB	2.5"	10K
Seagate*	SAS	6Gb/s	ST9146802SS	MSB0	146GB	2.5"	10K
Seagate*	SAS	6Gb/s	ST9300603SS	B248	300GB	2.5"	10K
Seagate*	SAS	6Gb/s	ST9500430SS	0001	500GB	2.5"	7200
Seagate*	SAS	6Gb/s	ST9146703SS	MSB3	147GB	2.5"	10K

Manufacture	Type	Speed	Model	FW version	Capacity	Size	RPM
Seagate*	SAS	6Gb/s	ST9146802SS	MSB03	146GB	2.5"	10K
Seagate*	SAS	6Gb/s	ST9146802SS	0207	146GB	2.5"	10K
Seagate*	SAS	6Gb/s	ST9146803SS	ER60	146GB	2.5"	10K
Seagate*	SAS	6Gb/s	ST32000444SS	0004	2TB	3.5"	7200
Seagate*	SAS	3Gb/s	ST973402SS	MSB0	73GB	2.5"	
Seagate*	SAS	3Gb/s	ST373455SS	00013LQ03M3L	73GB	3.5"	
Seagate*	SAS	3Gb/s	ST973401SS	S108	73GB	2.5"	10K
Seagate*	SAS	3Gb/s	ST336754SS	0003	36GB	3.5"	
Seagate*	SAS	3Gb/s	ST373454SS	0002	73GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST3146854SS	1503	146GB	3.5"	
Seagate*	SAS	3Gb/s	ST336754SS	S412	36GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST3300555SS	MSB0	300GB	3.5"	
Seagate*	SAS	3Gb/s	ST3300655SS	0001	300GB	3.5"	
Seagate*	SAS	3Gb/s	ST936701SS	0023	36GB	2.5"	10K
Seagate*	SAS	3Gb/s	ST336754SS	S4123KQ0ST37	36GB	2.5"	15K
Seagate*	SAS	3Gb/s	ST973401SS	0002	73GB	2.5"	10K
Seagate*	SAS	3Gb/s	ST973402SS	0207	73GB	2.5"	10K
Seagate*	SAS	3Gb/s	ST973402SS	MS003	73GB	2.5"	10K
Seagate*	SAS	3Gb/s	ST3146756SS	D3C7	146GB	3.5"	SED
Seagate*	SAS	3Gb/s	ST3450056SS	D3C7	450GB	3.5"	SED
Seagate*	SAS	3Gb/s	ST336754SS	0023	36GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST336754SS	S410	36GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST336754SS	S4103KQ1SEDX	36GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST336754SS	S4123KQ1TLFW	36GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST336754SS	1501	36GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST336754SS	1502	36GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST373454SS	0023	73GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST373454SS	S412	73GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST373454SS	S410	73GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST373454SS	0003	73GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST373454SS	MS02	73GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST373454SS	0002	73GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST3146854SS	S4123KN01YAD	146GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST3146854SS	S410	146GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST3146854SS	0003	146GB	3.5"	
Seagate*	SAS	3Gb/s	ST3146854SS	0002	146GB	3.5"	
Seagate*	SAS	3Gb/s	ST3146854SS	1503	146GB	3.5"	
Seagate*	SAS	3Gb/s	ST373454SS	1503	73GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST3146854SS	0033	146GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST3146854SS	0023	146GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST3146854SS	S412	146GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST373455SS	S527	73GB	3.5"	
Seagate*	SAS	3Gb/s	ST3146854SS	MS04	146GB	3.5"	
Seagate*	SAS	6Gb/s	ST3600002SS	ER60	600GB	3.5"	10K
Seagate*	SAS	6Gb/s	ST336754SS	0004	146GB	2.5"	10K
Seagate*	SAS	6Gb/s	ST9300503SS	FT00	300GB	2.5"	SED
Seagate*	SAS	3Gb/s	ST3146855SS	S527	146GB	3.5"	
Seagate*	SAS	3Gb/s	ST3300056SS	081C	300G	3.5"	
Seagate*	SAS	3Gb/s	ST973401LSUN72G	0556	72GB	3.5"	
Seagate*	SAS	3Gb/s	ST3146356SS	0004	147GB	3.5"	
Seagate*	SAS	3Gb/s	ST373455SS	0002	73GB	3.5"	
Seagate*	SAS	3Gb/s	ST3146854SS	S412	146GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST373455SS	0002	73GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST336754SS	0002	36GB	3.5"	
Seagate*	SAS	6Gb/s	ST3450802SS	0004	450GB	3.5"	10K
Seagate*	SAS	3Gb/s	ST31000640SS	E319	1TB	3.5"	
Seagate*	SAS	3Gb/s	ST936701SS	0002	36GB	2.5"	

Manufacture	Type	Speed	Model	FW version	Capacity	Size	RPM
Seagate*	SATA	6Gb/s	ST33000650NS	ZZA6	3TB	3.5"	7200
Seagate*	SATA	6Gb/s	ST32000641AS	CC13	2TB	3.5"	7200
Seagate*	SATA	6Gb/s	ST3500410AS	ZZATZZZZ	500GB	3.5"	7200
Seagate*	SATA	3Gb/s	ST3250824AS	H	250GB	3.5"	7200
Seagate*	SATA	3Gb/s	ST3500641NS	S	500GB	3.5"	
Seagate*	SATA	3Gb/s	ST3750640NS	D	750GB	3.5"	7200
Seagate*	SATA	3Gb/s	ST3750640NS	3QD1	750GB	3.5"	
Seagate*	SATA	3Gb/s	ST3750840NS	E	750GB	3.5"	7200
Seagate*	SATA	3Gb/s	ST3160827AS	0003	160GB	3.5"	
Seagate*	SATA	3Gb/s	ST3250620NS	3.AEE	250GB	3.5"	7200
Seagate*	SATA	3Gb/s	ST31000340NS	SN03/SN06	1TB	3.5"	
Seagate*	SATA	3Gb/s	ST3160815AS	3.AAD	160GB	3.5"	
Seagate*	SATA	3Gb/s	ST3250824AS	3.AAH	250GB	3.5"	7200
Seagate*	SATA	3Gb/s	ST3808110AS	3AAH	80GB	3.5"	
Seagate*	SATA	3Gb/s	ST3160815AS	D	160GB	3.5"	
Seagate*	SATA	3Gb/s	ST3200540AS	CC83	2TB	3.5"	4K Media
Seagate*	SATA	3Gb/s	ST31000333AS	CC1F	1TB	3.5"	7200
Seagate*	SATA	3Gb/s	ST3750840AS	3.AAD	750GB	3.5"	
Seagate*	SATA	3Gb/s	ST9500530NS	SN02	500GB	2.5"	
Seagate*	SATA	3Gb/s	ST980825AS	0003	80GB	2.5"	
Seagate*	SATA	3Gb/s	ST3250620NS	20.06C07	250GB	3.5"	
Seagate*	SATA	3Gb/s	ST3250620NS	3.AEJ	250GB	3.5"	
Seagate*	SATA	3Gb/s	ST3250620NS	E	250GB	3.5"	7200
Seagate*	SATA	3Gb/s	ST3750640NS	.AEP	750GB	3.5"	
Seagate*	SATA	3Gb/s	ST3500630NS	W	500GB	3.5"	
Seagate*	SATA	3Gb/s	ST3500641AS	E	500GB	3.5"	
Seagate*	SATA	3Gb/s	ST3500320NS	SN05	500GB	3.5"	
Seagate*	SATA	3Gb/s	ST3160827AS	0003	160GB	3.5"	
Seagate*	SATA	3Gb/s	ST3500641AS	A002	500GB	3.5"	7200
Seagate*	SATA	3Gb/s	ST380815AS	C002	808GB	3.5"	
Seagate*	SATA	3Gb/s	ST31000340NS	SU09/SU0D	1TB	3.5"	
Seagate*	SATA	3Gb/s	ST31000340NS	SN06	1TB	3.5"	
Seagate*	SATA	3Gb/s	ST32000644NS	SN11	2TB	3.5"	
Seagate*	SAS	3Gb/s	ST973402SS	MS00	73GB	2.5"	10K
Seagate*	SATA	3Gb/s	ST380013AS	0003	80GB	3.5"	
Seagate*	SAS	3Gb/s	ST373455SS	S513	73GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST336754SS	S400	36GB	3.5"	
Seagate*	SAS	3Gb/s	ST314854SS	0004	146GB	3.5"	15K
Seagate*	SAS	3Gb/s	ST936751SS	F401	36GB	2.5"	
Seagate*	SATA	3Gb/s	ST31000524NS		1TB	3.5"	7200
Seagate*	SAS	6Gb/s	ST33000650SS	F901	3TB	3.5"	
Western Digital*	SAS	6Gb/s	WD1460BKFG-02P2V0	RG00	146GB	2.5"	10K
Western Digital*	SAS	6Gb/s	WD3000BKFG-02P2V0	RG00	300GB	2.5"	10K
Western Digital*	SAS	6Gb/s	WD6000BKHG-02A29V0	VG01	600GB	2.5"	10K
Western Digital*	SATA	6Gb/s	WD6000BLHX-01V7BV0	5G04	600GB	2.5"	10K
Western Digital*	SATA	6Gb/s	WD5003ABYX-01WERA0	1S01	500GB	3.5"	7200
Western Digital*	SATA	6Gb/s	WD1003FBYX-01Y7B0	1V01	1TB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD2002FYPS-02W3B0	1G01	2TB	3.5"	5400
Western Digital*	SATA	3Gb/s	WD2003FYYS-0	0D01	2TB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD2002FYPS0	5G04	2TB	3.5"	5400
Western Digital*	SATA	3Gb/s	WD10EADS11M	0A80	1TB	3.5"	4K Media
Western Digital*	SATA	3Gb/s	WD5000ABPS-01ZZB0	1B01	500GB	3.5"	5400
Western Digital*	SATA	3Gb/s	WD1600YS	6C04	160GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD2000		200GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD2500YS-18S	6C07	250GB	3.5"	7200

Manufacture	Type	Speed	Model	FW version	Capacity	Size	RPM
Western Digital*	SATA	3Gb/s	WD2500YS-23S	6C04	250GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD500YS	2/E07	500GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD2500YS	WCAN	250GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD1000FYPS-01ZKB0	1B01	1TB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD5001ABYS-01TNA0	1B01	500GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD5000YS-01M	20000000	500GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD5002ABYS-01B1B0	3B03	500GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD3000HLFS-0	4V01	300GB	3.5"	10K
Western Digital*	SATA	3Gb/s	WD1002FBYS-0	0C05	1TB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD3202ABYS	3B03	320GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD5000ABYS-0	1C01	500GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD1600AABS	6H05	600GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD800JD	0010	80GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD1200JS	1C03	120GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD740GD-00FL	8F33	740GB	3.5"	10K
Western Digital*	SATA	3Gb/s	WD1600JS-00M	1C03	160GB	3.5"	
Western Digital*	SATA	3Gb/s	WD4000YR	6A01	400GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD2500JS	1C03	250GB	3.5"	
Western Digital*	SATA	3Gb/s	WD4000YD-00K	6G11	400GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD4000YD-00K	6A01	400GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD5000KS	2000000	500GB	3.5"	
Western Digital*	SATA	3Gb/s	WD7500AY	4G30	750GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD7500AABS-0	4G30	750GB	3.5"	
Western Digital*	SATA	3Gb/s	WD1003FBYX	1TB	1S01	3.5"	7200
Western Digital*	SATA	3Gb/s	WD5003ABYX	500GB	1V01	3.5"	7200
Western Digital*	SATA	3Gb/s	WD1600AAJS	6H05	160GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD1600JS-75NCB3	20000	160GB	3.5"	7200
Western Digital*	SATA	3Gb/s	WD1600JS	6C04	160GB	3.5"	7200
ADATA*	SATA	3Gb/s	AS599S-128GM-C	3.1.0	128GB	2.5"	
ADATA*	SATA	3Gb/s	AS599S-256GM-C	3.1.0	256GB	2.5"	
CORSAIR*	SATA	3Gb/s	CMFSSD-64D1	0000	64GB	2.5"	
Intel*	SATA	3Gb/s	X25-E,SSDSA2SH032G1	8790	32GB	2.5"	
Intel*	SATA	3Gb/s	X25-E,SSDSA2SH064G1	8790	64GB	2.5"	
Intel*	SATA	3Gb/s	X25-E,SSDSA2SH064G1GN	8850	64GB	2.5"	
Intel*	SATA	3Gb/s	X25-M,SSDSA2MH080G1	8626	80GB	2.5"	
Intel*	SATA	3Gb/s	X25-M,SSDSA2MH160G1	8626	160GB	2.5"	
Intel*	SATA	3Gb/s	X25-M,SSDSA2MH160G1	8820	160GB	2.5"	
Intel*	SATA	3Gb/s	X25-M,SSDSA2M080G2GC	02HD	80GB	2.5"	
Intel*	SATA	3Gb/s	X25-M,SSDSA2MH160G2GC	02HD	160GB	2.5"	
Micron*	SATA	6Gb/s	P300-MTFDDAC100SAL	B901	100GB	2.5"	
OCZ Technology*	SATA	3Gb/s	ITDCSTE025M2002	1.5E	240GB	2.5"	
Patriot Memory*	SATA	3Gb/s	PatriotTorqx12	1881	120GB	2.5"	
Pliant*	SAS	3Gb/s	LS300S	T101	300GB	3.5"	
Samsung*	SATA	3Gb/s	MCBQE25G		25GB	2.5"	
Samsung*	SATA	3Gb/s	2.5"50GBSSDSATA	803Q	50GB	2.5"	
Samsung*	SATA	3Gb/s	2.5"100GBSSDSATA	803Q	100GB	2.5"	
STEC*	SATA	1.5Gb/s	MACH8 IO	2084	22GB	2.5"	
STEC*	SATA	1.5Gb/s	M8ISB2-25UC	2119	25GB	2.5"	
STEC*	SATA	1.5Gb/s	M8ISB2-50UC	2119	50GB	2.5"	
UNIGEN*	SATA	3Gb/s	UGB88PGB100HB1-ES	RC Rev1	100GB	2.5"	
Super Talent*	SATA	3Gb/s	UGB88APT128HS3	1916	128GB	2.5"	
Super Talent*	SATA	3Gb/s	FTM12CT25H	STTMP2	120GB	2.5"	
ANOBIT*	SATA	3Gb/s	Genesis-1	2.21	200GB	3.5"	
PLIANT*	SAS	3Gb/s	LB150M	P103	150GB	2.5"	
PLIANT*	SAS	3Gb/s	LB150S	P103	150GB	2.5"	
PLIANT*	SAS	3Gb/s	LB200M	P200	200GB	2.5"	

Manufacture	Type	Speed	Model	FW version	Capacity	Size	RPM
PLIANT*	SAS	3Gb/s	LB400M	P200	400GB	2.5"	
PLIANT*	SAS	3Gb/s	LS150S	P104	150GB	3.5"	
Micron*	SATA	6Gb/s	MTFDDAC050SAL-1N1AA	0001	50GB	2.5"	
Micron*	SATA	6Gb/s	MTFDDAC200SAL-1N1AA	0001	200GB	2.5"	
Micron*	SATA	6Gb/s	MTFDDAK064MAG-1G1	0002	64GB	2.5"	
Micron*	SATA	6Gb/s	MTFDDAK128MAG-1G1	0002	128GB	2.5"	
Micron*	SATA	6Gb/s	MTFDDAK256MAG-1G1	0002	256GB	2.5"	
KINGSTON*	SATA	3Gb/s	SNVP325-S2/256GB	0201	256GB	2.5"	
KINGSTON*	SATA	3Gb/s	SNVP325-S2/512GB	0202	512GB	2.5"	
Intel*	SATA	3Gb/s	SSDSA2BW160G3	0266	160GB	2.5"	
Intel*	SATA	6Gb/s	SSDSC2MH120A2C	PPXM	120G	2.5"	