

Server OS Testing Services

Enterprise Platforms and Services Division

Intel[®] Server Platform SR6850HW4S & SR4850HW4S

Server Test Submission (STS) Report

For the Microsoft® Windows® Logo Program (WLP)

Rev 1.0

September 20, 2006

This report describes the Intel® Server Platform SR6850HW4S & SR4850HW4S Windows* Logo Program test run conducted by Intel Enterprise Platforms and Services Division (EPSD).

Purpose of this WLP Submission:

System submission for the Intel® Server Platform SR6850HW4S & SR4850HW4S.

| Submission Type: | Reason for test run | |
|--------------------------|---|----------|
| First-time Submission | Initial Microsoft Designed for Windows logo submission for Tulsa Dual Core Processor support. | V |

Revision History and Disclaimers

| Revision History | | | |
|------------------|-----------|--|--|
| Revision | Date | Comments | |
| 1.0 | 9/20/2006 | STS Report for WLP Windows 2003 Enterprise Edition Submission for Intel® Server Platform SR6850HW4S & SR4850HW4S with 3.4GHz 16MB Cache [Dual-Core Xeon 7104M] Processors on P10 BIOS with 64GB memory support | |

THIS TEST REPORT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION OR SAMPLE.

Information in this document is provided in connection with Intel® products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by the sale of Intel products. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications.

Intel retains the right to make changes to its test specifications at any time, without notice.

The hardware vendor remains solely responsible for the design, sale and functionality of its product, including any liability arising from product infringement or product warranty.

Intel, Pentium, Itanium and Xeon are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

* Other names and brands may be claimed as the property of others.

Copyright © 2003, Intel Corporation. All rights reserved.

Contents

| Revision History and Disclaimers 2 |
|---|
| Introduction 4 |
| Overview of Contents4 |
| Terms and Definitions |
| Server Board Submission Information 5 |
| Intel Server Board Submission Report: Completion of WLP5 |
| Submission Information |
| Submission ID5 |
| Submission Type5 |
| Update Type (Update Hardware and Drivers Test Submission ONLY)5 |
| Update Type Detail (Update Hardware and Drivers Test Submission ONLY)5 |
| Product Category5 |
| Product Detail5 |
| General Product Information |
| Testing Matrix (optional)6 |
| Characterization (optional)6 |
| Server Board Configuration Information7 |
| Processor7 |
| System Memory 7 |
| Power Management7 |
| BIOS7 |
| Firmware7 |
| Bus Types 8 |
| Integrated Components8 |
| Onboard Integrated Devices and Drivers8 |
| Product Data for HCL: Completion of WLP9 |
| Product Data9 |
| Hardware Compatibility Tests10 |
| Errata and Contingencies11 |
| Intel® Server Platform SR6850HW4M & SR4850HW4M Submission Readme File 11 |
| Testing Exceptions for Intel® Server Platform SR6850HW4M & SR4850HW4M Windows* Serve 2003 |
| Additional Information |
| Appendix A – Submission History 14 |

Introduction

This report provides an overview of the testing conducted on the Intel® Server Platform SR6850HW4S & SR4850HW4S server board by Intel EPSD and provides details about this testing run.

Overview of Contents

| Section | Content | |
|--|--|--|
| Introduction | Brief descriptions of the sections in the report. Table listing terms and definitions. | |
| Server Product Submission Submission information, ID # and final server board configuration upon completic including HW, Driver version, BIOS version, and Board AA number | | |
| НСТ | All HCT's used during testing | |
| Errata and Contingencies All Microsoft* errata or contingencies used during testing | | |

Terms and Definitions

| Term | Definitions | |
|------|--|--|
| EPSD | Enterprise Platforms and Services Division | |
| HCL | Windows Hardware Compatibility List. You can view the HCL at: http://www.microsoft.com/whdc/hcl/search.mspx | |
| нст | Hardware Compatibility Tests. For latest Server HCTs visit: http://www.microsoft.com/whdc/hwtest/system/default.mspx | |
| STS | Server Test Submission Report published by EPSD | |
| WHDC | Windows* Hardware and Driver Central. Provides technical information, development and testing kits, newsletters and support information. http://www.microsoft.com/whdc/default.mspx | |
| WHOS | Windows Hardware Online Service – Secure online web site used to submit products for logo qualification and review submission history. https://winqual.microsoft.com/ | |
| WHQL | Windows* Hardware Qualification Lab. For more information visit the WHDC home page at: http://www.microsoft.com/whdc/default.mspx | |
| WLP | Windows Logo Program. For further information see: http://www.microsoft.com/whdc/winlogo/default.mspx | |
| WTS | Workstation Test Submission Report published by EPSD | |

Server Board Submission Information

Intel Server Board Submission Report: Completion of WLP

Data in this section reflects system submission information at the time of WLP submission.

Submission Information

| Submission ID | | | |
|--|--|---|--|
| Submission ID / Master ID | 1210547 | | |
| Previously logo'd Submission ID / Master ID | N/A | | |
| Submission Type | | | |
| | Check Submission Type | Comments | |
| First-Time Hardware and Driver Test Submission | | Tulsa with P10 BIOS and 64GB memory support | |
| System Update | | | |
| Update Type (Update Hardware and Drivers Test Submission ONLY) | | | |
| | Check Update Type | Comments | |
| Hardware (Firmware) Update | | | |
| System Update | | | |
| Previously Logo'd Operating System | | | |
| Update Type Detail (Update H | lardware and Drivers Test Submis | sion ONLY) | |
| | Check Update Type | Comments | |
| New CPU Speeds | | | |
| Motherboard Updates | | | |
| BIOS/Firmware Updates | | | |
| OS Updates | | | |
| Product Category | | | |
| Hardware Category | PC System or Server | | |
| Operating System Selected | Windows Server 2003 Enterprise Edition SP1 (x86 and EM64T), Windows Server 2003 Standard Edition and Windows Server 2003 Web Edition | | |

November 15, 2005 5^{\perp}

Intel® Server Platform SR6850HW4M & SR4850HW4M

| Product Detail | | | | |
|-----------------------------|-----------------------------|--------------------------------|--|--|
| General Product Information | | | | |
| Equipment Type | Server | Server | | |
| Primary Target Market | Business/Corporate | | | |
| Compliance | All applicable requirements | | | |
| Testing Matrix (optional) | Testing Matrix (optional) | | | |
| | Check Tested | Comments | | |
| PAE_Tested | \square | Supports 4GB or more of memory | | |
| Characterization (optional) | Characterization (optional) | | | |
| | Check appropriate options | Comments | | |
| Web Server | \square | | | |
| SQL Database Server | | | | |
| File Server | \square | | | |

Server Board Configuration Information

| Processor | | | |
|--------------------------------------|---|--|--|
| Quantity | 4 | | |
| Front Side Bus Speed | 800MHz | | |
| Family/Model | Intel® Xeon™ MP Hyper-Threading Technology | | |
| Speed | 3.4GHz 16MB Cache | | |
| System Memory | | | |
| Amount Installed | 64 GB | | |
| Memory Type | ECC DDR2 400 SDRAM | | |
| Power Management | | | |
| ACPI Sleep States (S1, S2, S3, S4) | S1 & S4 | | |
| Server Board Product | | | |
| System uses logo'd motherboard | NO (Server boards are <u>NOT</u> eligible for logo under the Microsoft* Motherboard logo program) | | |
| Board AA #/Fab | I/O Board D22177-552, Memory Board D21460-251, SAS Backplane D23278-400, Front Panel C62821-200, Intel Management Module D23013-400 | | |
| Board Manufacturer | Intel Corporation | | |
| Board Model | Intel® Server Platform SR6850HW4S & SR4850HW4S | | |
| Northbridge* Chipset Manufacturer | Intel | | |
| Northbridge Chipset Model | E8501 | | |
| Southbridge* Chipset Manufacturer | Intel | | |
| Southbridge Chipset Model | 81801EB | | |
| BIOS | | | |
| BIOS Manufacturer | Intel | | |
| BIOS Version | SHW40.86B.P.10.00.0064.081720061658 | | |
| BIOS Date | 8/17/2006 | | |
| BIOS URL (For Updates) | http://support.intel.com/support/motherboards/server/ | | |
| Firmware | | | |
| BMC Version | 55 | | |
| HSC Version | 2.01 | | |
| FRU/SDR Version | 37 | | |
| Firmware URL (For Updates) | http://support.intel.com/support/motherboards/server/ | | |

November 15, 2005 7^{\perp}

| Bus Types | | | |
|-----------------------------------|----------------------|-------------------|----------------------|
| | Check all that Apply | | Check all that Apply |
| PS/2 | | AGP* | |
| 1394 | | PCCard* (16-bit) | |
| CF (Compact Flash) | | CardBus* (32-bit) | |
| PCI-X | \checkmark | USB | \checkmark |
| Mini-PCI | | USB 2.0 | \checkmark |
| AMR | | InfiniBand* | |
| ACR | | Bluetooth* | |
| COM (Serial) | V | PCI-E | \checkmark |
| Integrated Components | | · | |
| | Check all that Apply | | Check all that Apply |
| Audio | | Display | |
| IDE | | Networking | |
| SAS | \checkmark | RAID | \checkmark |
| Modem | | Bluetooth* | |
| Fibre Channel Expansion Module | V | SATA | |

Onboard Integrated Devices and Drivers

Data in this section reflects system configuration at the time of WLP submission. The latest drivers for the Intel® Server Platform SR6850HW4S & SR4850HW4S server board are available for download at: http://support.intel.com/support/motherboards/server/

| Technology | os | Version |
|---|---------------------------|--------------|
| LAN Broadcom* BCM5704 NetXtreme* Gigabit | Windows Server 2003 x86 | 7.98.0.0 |
| Ethernet controller | Windows Server 2003 EM64T | 7.98.0.0 |
| SAS RAID | Windows Server 2003 x86 | 1.17.0.32 |
| Intel RAID Controller SROMBSAS18E | Windows Server 2003 EM64T | 1.17.0.64 |
| Display ATI* RADEON 7000 Series PCI Video | Windows Server 2003 x86 | 6.14.10.6509 |
| Controller (with 16 MB of Video Memory) | Windows Server 2003 EM64T | 6.14.10.6509 |
| Intel Fibre Channel Expansion Module | Windows Server 2003 x86 | 9.0.0.7 |
| Qlogic* ISP2322 FC PCI-X controller | Windows Server 2003 EM64T | 9.0.0.7 |

Product Data for HCL: Completion of WLP

Data in this section reflects product data for HCL at time of WLP submission.

| Product Data | | | |
|---|--|----------|--|
| Product Name | Intel® Server Platform SR6850HW4S & SR4850HW4S | | |
| Supported Platforms | | | |
| | Check Tested | Comments | |
| Windows 2000 Server | | | |
| Windows 2000 Advanced Server | | | |
| Windows Server 2003, Web Edition | $\overline{\checkmark}$ | | |
| Windows Server 2003, Standard Edition | V | | |
| Windows Server 2003, Enterprise Edition | | | |

November 15, 2005 9^{\perp}

Hardware Compatibility Tests

Microsoft* Windows Hardware Driver Central Server Testing Home Page: http://www.microsoft.com/whdc/hwtest/system/default.mspx.

Please check this website regularly for test kit updates.

| Operating Systems | Notes | Hardware Compatibility Tests (HCT) |
|-------------------------------|---|--|
| Windows Server 2003 SP1 | HCT 12.1. Test Procedures and Readme files for Windows XP SP2 and Windows Server 2003 SP1 | HCT 12.1 (Windows XP SP2 and Windows Server 2003 SP1) Test Kit |
| | http://www.microsoft.com/whdc/whql/WHQLdwn.mspx | http://www.microsoft.com/whdc/whql/WHQLdwn.mspx |

Errata and Contingencies

Microsoft* System HCT Errata list is available at:

http://www.microsoft.com/whdc/hwtest/search/results.aspx?type=errata&key=system&kit=-1

| Operating System | Identification Number | Title |
|---------------------|-----------------------|---|
| Windows Server 2003 | 772 | LAN Device Wake Up test is not required on network devices in mobile systems, multifunction, broadband, LAN emulation, wireless LAN, server LAN, or bus-powered USB network devices |

Intel® Server Platform SR6850HW4S & SR4850HW4S Submission Readme File

Effective May 1, 2002, the new Microsoft standardized Readme form will be required for all hardware submissions that include any of the following testing exceptions:

- Test failures
- Tests not run
- Missing test logs
- Inconclusive test results

All testing exceptions must be identified with a valid Errata ID, Incident ID, or Contingency ID provided by WHQL. The new Microsoft standardized Readme file is available for download at: http://download.microsoft.com/download/whistler/install/1.0/w98nt42kmexp/en-us/readme.exe

November 15, 2005 11^{\perp}

Testing Exceptions for Intel® Server Platform SR6850HW4S & SR4850HW4S Windows* Server 2003

Data in this section reflects product data and test exceptions listed in section 2 of the Intel® Server Platform SR6850HW4S & SR4850HW4S Readme file at time of WLP submission ID 1210547.

| Operating system (Windows XP, Windows 2000, etc.) | Failure type (Contingency, Errata, Incident) | ID number | | | |
|--|--|-----------|--|--|--|
| Windows 2003 Enterprise Server | Errata | 772 | | | |
| Failing test name | LAN Device Wake Up test | | | | |
| Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text) | LAN Device Wake Up test is not required on network devices in mobile systems, multifunction, broadband, LAN emulation, wireless LAN, server LAN, or bus-powered USB network devices | | | | |
| Additional information (for example, test system in a multiple system configuration) | The LAN Device Wake test is not required Multifunction devices Broadband and WAN devices: Cable modems DSL ISDN LAN emulation devices Wireless LAN devices Server LAN devices: Multiport NICs FDDI ATM Gigabit and higher Ethernet devices Bus-powered USB network devices Network devices in mobile systems Note: 10/100 single port LAN devices are referenced. | | | | |

Additional Information

Due to Windows* 2003 Enterprise operating system limitations server systems that support 4GB or more of memory are tested with maximum memory installed for all HCTs except for the ACPI HCTs. Memory is removed in order to bring the total system memory below 4GB to enable Windows* 2003 Enterprise to go into hibernation. Refer to errata ID: 92 and the AWE Test procedures for more information.

November 15, 2005 13^{\perp}

Appendix A – Submission History

Microsoft "Designed for Windows" logo submission history for the Intel® Server Platform SR6850HW4S & SR4850HW4S:

| Submission ID | Туре | Date | OS Qualified | Processor Speeds | Board Revision | BIOS Version |
|---------------|--------------------------|-----------|---|--|--|---|
| 1210547 | First-Time Submission | 9/20/2006 | Windows Server 2003 - Enterprise - Standard - Web | 3.2GHz Intel® Xeon™ MP Hyper-Threading Technology | D22177-552 D21460-251 D23278-400 C62821-200 D23013-400 | SHW40.86B.P.10.0 0.0064.0817200616 58 |