

# Chenbro SR101

[www.chenbro.com.tw](http://www.chenbro.com.tw)



## Product Information

**Model#:** SR101xx

**Size: (DxWxH in):** 22.9" x 14.6" x 26.8"

**Size: (DxWxH mm):** 583 x 370 x 680

**5.25" Bays:** 12

**3.50" Bays:** 1 internal, 8 external. Optional HS SCSI bay.

**Cooling:** 4x 90mm Standard, upgradable

**Power Supply:** 450W, 550W single, or 460W redundant

**Other Information:** Hot swap hard drive fans, chassis intrusion detection, 3-way key lock

**Note:** The above information is provided by the chassis manufacturer and is the sole responsibility of the manufacturer. Intel assumes no responsibility for any inaccuracies in this data or any changes made by the manufacturer.

## Additional Information

**Associated Model #s:**

SR10101/SR10102/SR10103/SR10104

**Options:** Optional Zippy\* RHD 6460P HS redundant power, and up to six additional 80mm and one 60mm fans.

**Chassis Configuration** As tested with Intel® Server Board SE7501BR2. Posting on Server Board SE7501HG2 Reference Chassis list based On Mechanical and Thermal similarity

**Model tested:** SR101XX

**Fans (qty x size):** 4 x 90mm Minebea\* 3610KL-04W-B30, 2 Sanyo Denki 109R0612G4031 Processor fans.

**Hard drives:** 3 x Seagate\* ST318406LC

**Processor:** 2 x Intel ® 2.8 GHz Xeon ®

**Memory:** 6 X Samsung\* 128M DDR266 DIMM M386L1713BT1-CA0

**Power Supply:** NMB SD026A550NSW

**Additional Information:**

\* Third party names and brands are the property of their respective owners.

**Note: Modifications to the tested configuration may cause variations in actual performance.**

## List of Intel®

### Server Boxed Boards

**Mechanically Compatible with:**

**SE7501BR2 & SE7501HG2**

**Thermally Compatible with:**

**SE7501BR2 & SE7501HG2**