




# Intel® PRO/10GbE SR Server Adapter

Industry-leading 10 Gigabit Multi-mode Fiber Server Connection

- Cost-effective 10 Gigabit performance for distances up to 300 m
- Highly integrated PCI-X second-generation silicon for high performance
- Smaller form factor with XPAK Optical Transceiver fits in a standard server PCI or PCI-X slot



## The Intelligent Way to Connect

The Intel® PRO/10GbE SR Server Adapter—the industry's second-generation 10 Gigabit Ethernet adapter—enables the fastest Ethernet connectivity available. The Intel PRO/10GbE SR Server Adapter delivers industry-leading performance to bandwidth-intensive applications using a highly integrated PCI-X Intel® 82597EX 133 MHz/64-bit 10GbE controller. High-speed server connectivity—once reserved for costly proprietary technologies such as high-performance computing clusters and grid-based computing—can now be achieved with the industry-standard Intel PRO/10GbE SR Server Adapter.

Using the Intel PRO/10GbE SR Server Adapter, enterprises can cost-effectively deploy 10GbE to a broad range of servers using lower-cost multi-mode fiber optic cabling and switching infrastructure. The 10GbE SR standard enables 10GbE transmissions at distances up to 300 meters using standard multi-mode cabling.

The Intel PRO/10GbE SR Server Adapter helps improve network productivity and eliminate costly proprietary networking technologies, while enabling deployment of standards-compliant Ethernet connectivity based on IEEE 802.3ae\* 10 Gigabit Ethernet standard.

**Intel® PRO**  
Network Connections

## Features

Intel® 82597EX 10GbE PCI-X 133 MHz/64-bit MAC controller

Multi-mode fiber support through 850 nm optical module

IEEE 802.3ae\* 10GBase-SR compliant

Jumbo Frames supported up to 16 KB

TCP/IP segmentation and TCP checksum offload in RX and TX

256 KB RX and 32 KB TX data FIFO

Parity protection for RX FIFO buffer

Mechanisms for delaying/reducing TX and RX frame interrupts

PCI-X 1.0a and PCI 2.3

LC-Duplex connector for multi-mode optical fiber

Flow Control 802.3x\*

PCI 2.2 Message Signaled Interrupts

## Benefits

High performance on widely adopted 2nd-generation PCI host-bus interface

Cable lengths up to 300 meters; noise resistant for signal integrity

Supports industry-wide 10 Gigabit Ethernet standard

Increase performance through reduced overhead

Provides efficiency for host processing

Enhanced TX and RX logic with minimum buffer requirements

Data integrity

Reduces CPU utilization

Compatible

Ease of use with currently available 10GbE equipment

Supports industry-wide networking standard

Improves system interrupt handling

Intel® 82597EX 10GbE PCI-X 133 MHz/64-bit MAC controller	High performance on widely adopted 2nd-generation PCI host-bus interface
Multi-mode fiber support through 850 nm optical module	Cable lengths up to 300 meters; noise resistant for signal integrity
IEEE 802.3ae* 10GBase-SR compliant	Supports industry-wide 10 Gigabit Ethernet standard
Jumbo Frames supported up to 16 KB	Increase performance through reduced overhead
TCP/IP segmentation and TCP checksum offload in RX and TX	Provides efficiency for host processing
256 KB RX and 32 KB TX data FIFO	Enhanced TX and RX logic with minimum buffer requirements
Parity protection for RX FIFO buffer	Data integrity
Mechanisms for delaying/reducing TX and RX frame interrupts	Reduces CPU utilization
PCI-X 1.0a and PCI 2.3	Compatible
LC-Duplex connector for multi-mode optical fiber	Ease of use with currently available 10GbE equipment
Flow Control 802.3x*	Supports industry-wide networking standard
PCI 2.2 Message Signaled Interrupts	Improves system interrupt handling

## Specifications: Intel® PRO/10GbE SR Server Adapter

### General

Product Code	PXLA8591SR
Connectors	LC duplex
IEEE Standard/Network Topology Wiring	IEEE 10GBase-SR Multi-mode fiber
<b>Adapter Product Features</b>	
Intel® SingleDriver™ Technology	■
Plug and Play Specification Support	■
Easy Installation, Intel® PROSet Utility and Intel® PRO Intelligent Install	■
Full-duplex	■
Fiber Medium Distance	300 meters with 50 µm multi-mode fiber 33 meters with 62.5 µm multi-mode fiber
<b>Network Management</b>	
WBEM-CIM Support	■
WMI & SNMP-manageable	■
Hardware Diagnostics	■
Intel® Boot Agent	■
ACPI Power Management	■
PXE 2.0	■
Jumbo Frames Support (16 KB)	■
<b>NOS Software Support</b>	
Microsoft Windows* 2000	■
Microsoft Windows Server 2003	■
Linux* 2.2.5 or Later	■
Free BSD 1.0.6	■
<b>Warranty</b>	
Limited Lifetime Warranty	■
90-day Money-back Guarantee (U.S. and Canada)	■
<b>Advanced Software Features</b>	
Adapter Fault Tolerance	■
802.1q VLANs	■
802.3x Flow Control	■
TCP Checksum Offload	■
IEEE 802.1p*	■
TCP Segmentation/Large Send Off-load	■
Save and Restore	■
<b>Technical Features</b>	
Data Rate(s) Supported per Port	10 Gbps
Bus Type	PCI or PCI-X
Bus Width	64-bit
Bus Speed (MHz)	133
Onboard Memory	256 KB
Interrupt Levels	INTA
IEEE Support	802.3ae*
Hardware Certifications	FCC Class A, CE, and Microsoft
Data Transfer Mode	Bus-master DMA
Controller—Processor	Intel® 82597EX
Typical Power Consumption	<9 watts
Operating Temperature	0–55°C
Operating Humidity	85% at +55°C
Laser Product	Class 1M laser product
<b>Physical Dimensions</b>	
Length	16.8 cm (6.6 in)
Width	9.1 cm (3.575 in)

## Order Code

- PXLA8591SR (Single Pack)

## Companion Products

Consider these Intel® products in your server and network planning:

- Intel® PRO/1000 MT Desktop Adapter
- Intel® PRO/1000 MT Server Adapter
- Intel® PRO/1000 MT Dual Port Server Adapter
- Intel® PRO/1000 MT Quad Port Server Adapter
- Intel® PRO/1000 MF Server Adapter
- Intel® PRO/1000 MF Server Adapters (LX)
- Intel® PRO/1000 MF Dual Port Server Adapter
- Intel® PRO/10GbE LR Server Adapter
- Other Intel® PRO Desktop, Mobile, Wireless and Server Adapters
- Intel® Itanium® processors
- Intel® Xeon™ processors
- Intel® Server Boards

## Network-Ready PCs

Top PC and server manufacturers offer Intel® adapters in their new products. Specify or ask for Intel® PRO Network Connections with your next PC, server, or mobile PC purchase. For a list of preferred suppliers, visit us at [www.intel.com/network/connectivity/how\\_to\\_buy/index.htm](http://www.intel.com/network/connectivity/how_to_buy/index.htm).

## Customer Support

Intel® Customer Support Services offers a broad selection of programs including phone support and warranty service. For more information, contact us at [support.intel.com/support/network](http://support.intel.com/support/network). Service and availability may vary by country.

## For Product Information

To speak to a customer service representative regarding Intel® products, please call 1-800-538-3373 (U.S. and Canada) or visit [www.intel.com/support/9089.htm](http://www.intel.com/support/9089.htm) for the telephone number in your area. For additional product information on the Intel® Networking and Communication products, visit [www.intel.com/network/connectivity](http://www.intel.com/network/connectivity).

## Online Documents

For the latest product information, visit us at [www.intel.com/network/connectivity](http://www.intel.com/network/connectivity).

INFORMATION IN THIS DOCUMENT IS PROVIDED IN CONNECTION WITH INTEL® PRODUCTS. NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS IS GRANTED BY THIS DOCUMENT. EXCEPT AS PROVIDED IN INTEL'S TERMS AND CONDITIONS OF SALE FOR SUCH PRODUCTS, INTEL ASSUMES NO LIABILITY WHATSOEVER, AND INTEL DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATING TO SALE AND/OR USE OF INTEL PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. Intel products are not intended for use in medical, life saving, or life sustaining applications. Intel may make changes to specifications and product descriptions at any time, without notice. Viewing the laser output with certain optical instruments designed for use at a distance (for example, telescopes and binoculars) may pose an eye hazard.

\*Other names and brands may be claimed as the property of others.  
Copyright © 2004 Intel Corporation. All rights reserved.

Intel, the Intel logo, SingleDriver, Itanium, and Xeon are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

