



17.5 Intel Material Declaration Data Sheets

The Material Declaration Data Sheets (MDDS) contained in this chapter are based upon the format established by the Electronic Industries Alliance (EIA), The European Information and Communication Technology Association (EICTA) and the Japan Green Procurement Survey Standardization Initiative (JGPSSI). This format is published as the Joint Industry Guide for Material Composition Declaration and can be found at: <http://www.eia.org/resources/2003-09-19.10.pdf>

Most of the data sheets contained in this chapter are based on third-party analytical testing of the product specified in footnote #2 of each MDDS. If a product is not specified in footnote #2, the data listed in that MDDS are based on engineering estimates. Data sheets are organized by representative package types which cover the range of similar products. Since multiple products may be covered by a data sheet, data are reported in parts per million (ppm). Mass of the product is provided. Mass of individual materials can be calculated by the user as needed.

MDDSs for other package families will be added to this chapter as they become available. In addition, existing MDDSs will be updated periodically as additional data becomes available. Users of MDDS are responsible for consulting this chapter regularly to ensure they are using the most recent MDDS version.

INTEL ACCEPTS NO DUTY TO NOTIFY USERS ABOUT CHANGES TO AN MDDS. INTEL IS NOT LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, THAT THE READER MIGHT INCUR AS A RESULT OF IGNORING THIS WARNING, OR THAT ANY THIRD PARTY MIGHT SUFFER AS A RESULT OF THE READER'S IGNORING THIS WARNING.



May 2006

To whom it may concern:

Intel manufactures a wide range of products, from microprocessors, through embedded controllers, up to complete OEM systems. A large number of subassemblies and components are purchased from other manufacturers. Intel goes to great lengths to make sure all our products meet applicable legal requirements, and we continually monitor changes in those requirements. We have surveyed our products, and to the best of our knowledge, Intel products are in compliance with all applicable national and international laws and regulations, including those that may restrict the materials content of certain products.

Intel is frequently asked by its customer base about the presence of certain materials in its products. To the best of our knowledge, the following materials are not present in Intel products and are restricted by Intel's Environmental Product Content Specification for Suppliers and Outsourced Manufacturers (<http://supplier.intel.com/ehs/environmental.htm>):

- Asbestos
- Certain Azo Colorants
- Cadmium compounds (except as a plastic stabilizer where content must be < 100 ppm)
- Mercury compounds
- Ozone Depleting Substances (ODS)
- Polybrominated biphenyls and their ethers (PBB, PBDE)
- Polychlorinated biphenyls and terphenyls (PCB, PCT)
- Polychlorinated naphthalenes
- Short-chained chlorinated paraffins
- Tributyl tin (TBT) and Triphenyl tin (TPT)
- Tributyl tin oxide (TBTO)
- Hexavalent chromium

The information provided regarding the material content of our products is true and correct to the best of our knowledge and Intel has systems and due diligence processes in place to determine the content of our products and ensure compliance with all applicable laws and regulations. Furthermore, where Intel has identified products as RoHS compliant in the attached Material Declaration Data Sheets (MDDS), Intel defines RoHS compliance as Lead and other banned materials in the EU RoHS directive are either (1) below all applicable substance thresholds as proposed by the EU or (2) an approved exemption applies. (Note: RoHS implementing details are not fully defined and may change.)

Sincerely,

A handwritten signature in cursive script that reads "Linda Young".

Linda Young
Product Ecology Program Manager
Intel Corporation
4500 South Dobson Road, Mail Stop: OC4-110
Chandler, Arizona 85248
linda.young@intel.com
http://www.intel.com/intel/other/ehs/product_ecology/



Material Declaration Data Sheet

HL-PBGA
 High Thermal Low Plastic Profile Ball Grid Array
 PinCount: 352
 Pb Free Product: No

Product Weight (grams): 9.1
 Manufacturer: Intel Corporation
 Revision Date: 4/7/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	23300

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	9260
Nickel	Plating	Substrate	15500

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: HL-PBGA 432. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

HL-PBGA
 High Thermal Low Plastic Profile Ball Grid Array
 PinCount: 380
 Pb Free Product: No

Product Weight (grams): 5.5
 Manufacturer: Intel Corporation
 Revision Date: 4/20/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	21800

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	41100
Nickel	Plating	Substrate	5500

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: HL-PBGA 380, Product Code Name GCIXE5417EC. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

HL-PBGA
 High Thermal Low Plastic Profile Ball Grid Array
 PinCount: 432
 Pb Free Product: No

Product Weight (grams): 9.5
 Manufacturer: Intel Corporation
 Revision Date: 4/7/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	23300

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	9260
Nickel	Plating	Substrate	15500

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: HL-PBGA 432, Product Code Name BE0906SB. Individual unit test results may vary due to differences in production and/or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

HL-PBGA
 High Thermal Low Plastic Profile Ball Grid Array
 PinCount: 520
 Pb Free Product: No

Product Weight (grams): 10.2
 Manufacturer: Intel Corporation
 Revision Date: 4/7/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	23300

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	9260
Nickel	Plating	Substrate	15500

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: HL-PBGA 432. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

HL-PBGA
 High Thermal Low Plastic Profile Ball Grid Array
 PinCount: 540
 Pb Free Product: No

Product Weight (grams): 10.0
 Manufacturer: Intel Corporation
 Revision Date: 4/7/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	23300

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	9260
Nickel	Plating	Substrate	15500

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: HL-PBGA 432. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

HL-PBGA
 High Thermal Low Plastic Profile Ball Grid Array
 PinCount: 672
 Pb Free Product: No

Product Weight (grams): 9.6
 Manufacturer: Intel Corporation
 Revision Date: 5/9/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

* The part does not contain RoHS restricted substances per the definition above except lead, which is used under the following exemption: Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission as well as network management for telecommunications. The applicability of this exemption depends on use of the part in one of the listed exempt applications.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	23600

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Nickel	Plating	Substrate	10700

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: HL-PBGA 672, Product Code Name GCIXF18103EE (35mm x 35mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

HL-PBGA
 High Thermal Low Plastic Profile Ball Grid Array
 PinCount: 836
 Pb Free Product: No

Product Weight (grams): 11.6
 Manufacturer: Intel Corporation
 Revision Date: 3/9/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	11400

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	51300
Nickel	Plating	Substrate	6930

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: HL-PBGA 836, Product Code Name GCIXE5416EC. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 196
 Pb Free Product: No

Product Weight (grams): 0.5
 Manufacturer: Intel Corporation
 Revision Date: 8/23/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	56700

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	29000
Nickel	Plating	Substrate	6530

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 196, Product Code Name GD82541. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 208
 Pb Free Product: No

Product Weight (grams): 1.7
 Manufacturer: Intel Corporation
 Revision Date: 4/7/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	56582

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame retardant	Mold Compound	2577
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	17790
Nickel	Plating	Substrate	10450

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 208. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 196
 Pb Free Product: No

Product Weight (grams): 1.1
 Manufacturer: Intel Corporation
 Revision Date: 4/18/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	74935

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	15350
Nickel	Plating	Substrate	7605

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 196, Product Code Name GD82559. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 241
 Pb Free Product: No

Product Weight (grams): 1.8
 Manufacturer: Intel Corporation
 Revision Date: 4/29/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	56582

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame retardant	Mold Compound	2577
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	17790
Nickel	Plating	Substrate	10450

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 208, Product Code Name FW82801AA. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 364
 Pb Free Product: No

Product Weight (grams): 1.8
 Manufacturer: Intel Corporation
 Revision Date: 5/3/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	60800

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	12600
Nickel	Plating	Substrate	17100

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 364, Product Code Name FW82546EB Q 466. Individual unit test results may vary due to differences in production and/or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 256
 Pb Free Product: No

Product Weight (grams): 0.9
 Manufacturer: Intel Corporation
 Revision Date: 11/16/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	55500

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	14800
Nickel	Plating	Substrate	3100

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 256, Product Code Name GDPXA255A0C400. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 304
 Pb Free Product: No

Product Weight (grams): 3.4
 Manufacturer: Intel Corporation
 Revision Date: 11/16/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	46000

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	9670
Nickel	Plating	Substrate	1940

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 304, Product Code Name 21555BB. Individual unit test results may vary due to differences in production and/or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 304
 Pb Free Product: No

Product Weight (grams): 3.4
 Manufacturer: Intel Corporation
 Revision Date: 11/16/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	41100

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	13500
Nickel	Plating	Substrate	3400

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 304, Product Code Name FW21154BE. Individual unit test results may vary due to differences in production and/or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 304
 Pb Free Product: No

Product Weight (grams): 3.4
 Manufacturer: Intel Corporation
 Revision Date: 3/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	44500

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	12600
Nickel	Plating	Substrate	2150

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 304, Product Code Name FW21154AE. Individual unit test results may vary due to differences in production and/or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 324
 Pb Free Product: No

Product Weight (grams): 2.4
 Manufacturer: Intel Corporation
 Revision Date: 11/16/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	52000

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	9000
Nickel	Plating	Substrate	3490

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 324, Product Code Name FW82371EBS L3AU. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 352
 Pb Free Product: No

Product Weight (grams): 9.1
 Manufacturer: Intel Corporation
 Revision Date: 4/7/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	11656

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 352, Product Code Name GC21440AD. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 360
 Pb Free Product: No

Product Weight (grams): 2.6
 Manufacturer: Intel Corporation
 Revision Date: 8/17/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	16500

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	7800
Nickel	Plating	Substrate	3210

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 360, Product Code Name L446NC33. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

HL-PBGA
 High Thermal Low Plastic Profile Ball Grid Array
 PinCount: 304
 Pb Free Product: Yes

Product Weight (grams): 5.6
 Manufacturer: Intel Corporation
 Revision Date: 4/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	2470
Nickel	Plating	Substrate	13100

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: HL-PBGA 304, Product Code Name QCIXF1002ED. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

HL-PBGA
 High Thermal Low Plastic Profile Ball Grid Array
 PinCount: 352
 Pb Free Product: Yes

Product Weight (grams): 9.0
 Manufacturer: Intel Corporation
 Revision Date: 4/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	2610
Nickel	Plating	Substrate	1950

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: HL-PBGA 352, Product Code Name QCIXF440AC. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

HL-PBGA
 High Thermal Low Plastic Profile Ball Grid Array
 PinCount: 432
 Pb Free Product: Yes

Product Weight (grams): 9.3
 Manufacturer: Intel Corporation
 Revision Date: 4/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	3950
Nickel	Plating	Substrate	13800

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: HL-PBGA 432, Product Code Name QCIXP1200GA. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

HL-PBGA
 High Thermal Low Plastic Profile Ball Grid Array
 PinCount: 520
 Pb Free Product: Yes

Product Weight (grams): 10.0
 Manufacturer: Intel Corporation
 Revision Date: 4/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	3950
Nickel	Plating	Substrate	13800

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: HL-PBGA 432, Product Code Name QCIXP1250 (40mm x 40mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

HL-PBGA
 High Thermal Low Plastic Profile Ball Grid Array
 PinCount: 540
 Pb Free Product: Yes

Product Weight (grams): 11.0
 Manufacturer: Intel Corporation
 Revision Date: 5/17/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	3950
Nickel	Plating	Substrate	13800

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: HL-PBGA 432, Product Code Name QC80303 (42.5mm x 42.5mm w Cu Heat Slug). Individual unit test results may vary due to differences in production and/or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

LPBGA
 Low Profile Plastic Ball Grid Array
 PinCount: 256
 Pb Free Product: Yes

Product Weight (grams): 1.2
 Manufacturer: Intel Corporation
 Revision Date: 4/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	6870
Nickel	Plating	Substrate	1630

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: LPBGA 256, Product Code Name EW31244 S L7QV. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 196
 Pb Free Product: Yes

Product Weight (grams): 0.6
 Manufacturer: Intel Corporation
 Revision Date: 4/30/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	7230
Nickel	Plating	Substrate	5750

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 196, Product Code Name LU82541PI (15mm x 15mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 256
 Pb Free Product: Yes

Product Weight (grams): 0.9
 Manufacturer: Intel Corporation
 Revision Date: 4/30/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	11200

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 256, Product Code Name LUPXA255AOC400 (17mm x 17mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 304
 Pb Free Product: Yes

Product Weight (grams): 3.4
 Manufacturer: Intel Corporation
 Revision Date: 4/30/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	11200
Nickel	Plating	Substrate	2300

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 304, Product Code Name PR21555AB (31mm x 31mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 324
 Pb Free Product: Yes

Product Weight (grams): 2.3
 Manufacturer: Intel Corporation
 Revision Date: 4/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	4100
Nickel	Plating	Substrate	5280

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 324, Product Code Name NH82371EBE (27mm x 27mm). Individual unit test results may vary due to differences in production and/or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 360
 Pb Free Product: Yes

Product Weight (grams): 2.5
 Manufacturer: Intel Corporation
 Revision Date: 4/30/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	11400
Nickel	Plating	Substrate	10800

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 360, Product Code Name NH82801B (23mm x 23mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 364
 Pb Free Product: Yes

Product Weight (grams): 1.8
 Manufacturer: Intel Corporation
 Revision Date: 4/30/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame retardant	Mold Compound	1920
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	8730
Nickel	Plating	Substrate	1880

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 416, Product Code Name 82546GB (21mm x 21mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 416
 Pb Free Product: No

Product Weight (grams): 2.7
 Manufacturer: Intel Corporation
 Revision Date: 9/8/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	29800

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame retardant	Mold Compound	3080
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	15500
Nickel	Plating	Substrate	3570

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 416, Product Code Name FW82544E1. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 416
 Pb Free Product: Yes

Product Weight (grams): 2.7
 Manufacturer: Intel Corporation
 Revision Date: 4/30/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame retardant	Mold Compound	1920
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	8730
Nickel	Plating	Substrate	1880

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 416, Product Code Name NH82544E1 (27mm x 27mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS' RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 421
 Pb Free Product: No

Product Weight (grams): 3.9
 Manufacturer: Intel Corporation
 Revision Date: 3/24/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

* The part does not contain RoHS restricted substances per the definition above except lead, which is used under the following exemption: Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signaling, transmission as well as network management for telecommunications. The applicability of this exemption depends on use of the part in one of the listed exempt applications.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	71200

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	8760
Nickel	Plating	Substrate	4490

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 421, Product Code Name FW82801DB. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 421
 Pb Free Product: Yes

Product Weight (grams): 4.0
 Manufacturer: Intel Corporation
 Revision Date: 4/30/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	7340
Nickel	Plating	Substrate	2130

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 492, Product Code Name NH82801D (31mm x 31mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 460
 Pb Free Product: No

Product Weight (grams): 4.1
 Manufacturer: Intel Corporation
 Revision Date: 11/16/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	53200

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	13300
Nickel	Plating	Substrate	2770

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 460, Product Code Name FW82801EBQ D94. Individual unit test results may vary due to differences in production and/or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 460
 Pb Free Product: Yes

Product Weight (grams): 4.0
 Manufacturer: Intel Corporation
 Revision Date: 4/30/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	7340
Nickel	Plating	Substrate	2130

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 492, Product Code Name NH82801E (31mm x 31mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 492
 Pb Free Product: No

Product Weight (grams): 5.0
 Manufacturer: Intel Corporation
 Revision Date: 3/28/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	20200

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	11900

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 492, Product Code Name FWIXP425BC. Individual unit test results may vary due to differences in production and/or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 492
 Pb Free Product: Yes

Product Weight (grams): 5.1
 Manufacturer: Intel Corporation
 Revision Date: 4/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	7340
Nickel	Plating	Substrate	2130

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 492, Product Code Name IXP420. Individual unit test results may vary due to differences in production and/or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 544
 Pb Free Product: No

Product Weight (grams): 5.2
 Manufacturer: Intel Corporation
 Revision Date: 11/16/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	72600

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	11300
Nickel	Plating	Substrate	2100

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 544, Product Code Name FW80321M600. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 544
 Pb Free Product: Yes

Product Weight (grams): 5.2
 Manufacturer: Intel Corporation
 Revision Date: 4/30/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	8720
Nickel	Plating	Substrate	< 1800

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 544, Product Code Name NH82815 (35mm x 35mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 609
 Pb Free Product: No

Product Weight (grams): 3.8
 Manufacturer: Intel Corporation
 Revision Date: 11/16/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	41700

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame retardant	Mold Compound	1230
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	10100
Nickel	Plating	Substrate	2220

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 609, Product Code Name FW82801FBM. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 609
 Pb Free Product: Yes

Product Weight (grams): 3.8
 Manufacturer: Intel Corporation
 Revision Date: 4/30/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame retardant	Mold Compound	1020
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	9640
Nickel	Plating	Substrate	2660

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 609, Product Code Name NH82801FBM (31mm x 31mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 625
 Pb Free Product: Yes

Product Weight (grams): 6.4
 Manufacturer: Intel Corporation
 Revision Date: 4/30/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	6240

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 625, Product Code Name PR82835 (37.5mm x 37.5mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 652
 Pb Free Product: Yes

Product Weight (grams): 3.9
 Manufacturer: Intel Corporation
 Revision Date: 4/30/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame retardant	Mold Compound	1170
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	10700
Nickel	Plating	Substrate	2000

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 652, Product Code Name NH82801GBM (31mm x 31mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 689
 Pb Free Product: No

Product Weight (grams): 6.4
 Manufacturer: Intel Corporation
 Revision Date: 8/15/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	70800

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	8690
Nickel	Plating	Substrate	2550

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 689, Product Code Name NHE6300ESB SL7XJ. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 689
 Pb Free Product: Yes

Product Weight (grams): 6.5
 Manufacturer: Intel Corporation
 Revision Date: 4/30/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	8130
Nickel	Plating	Substrate	4160

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 689, Product Code Name NHE6300ESB (37.5 x 37.5). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 1025
 Pb Free Product: No

Product Weight (grams): 7.8
 Manufacturer: Intel Corporation
 Revision Date: 11/16/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	41800

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame retardant	Mold Compound	3730
Bismuth			< 3590
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	9240
Nickel	Plating	Substrate	19000

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 1025, Product Code Name GW80314GS S L7NK. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

PBGA
 Plastic Ball Grid Array
 PinCount: 1356
 Pb Free Product: No

Product Weight (grams): 6.3
 Manufacturer: Intel Corporation
 Revision Date: 4/7/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	94400

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	62700
Nickel	Plating	Substrate	2120

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 1356. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 64
Pb Free Product: No

Product Weight (grams): 1.3
Manufacturer: Intel Corporation
Revision Date: 7/8/2004

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	46900

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	19800
Nickel	Electrical interconnect	Substrate	5520

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 294. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 64
Pb Free Product: No

Product Weight (grams): 0.1
Manufacturer: Intel Corporation
Revision Date: 5/2/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	40574

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Nickel	Electrical interconnect	Substrate	4843

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 64, Product Code Name RC82562EP. Individual unit test results may vary due to differences in production and/or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 64
Pb Free Product: Yes

Product Weight (grams): 0.1
Manufacturer: Intel Corporation
Revision Date: 4/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	5070
Nickel	Electrical interconnect	Substrate	5610

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 64, Product Code Name ELLXT971ABE.A4. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 64
Pb Free Product: Yes

Product Weight (grams): 0.2
Manufacturer: Intel Corporation
Revision Date: 4/25/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame Retardant	Mold Compound	1180
Brominated Flame Retardant	Flame Retardant	Mold Compound	8350
Nickel	Electrical interconnect	Substrate	2810

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 64, Product Code Name PC28F320 (10mm x 13mm). Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 64
Pb Free Product: Yes

Product Weight (grams): 0.1
Manufacturer: Intel Corporation
Revision Date: 4/4/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame Retardant	Mold Compound	1520
Brominated Flame Retardant	Flame Retardant	Mold Compound	5530
Nickel	Electrical interconnect	Substrate	11900

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 64, Product Code Name PC82562EP. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 67
Pb Free Product: No

Product Weight (grams): 0.3
Manufacturer: Intel Corporation
Revision Date: 7/8/2004

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	46900

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	19800
Nickel	Electrical interconnect	Substrate	5520

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 294. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 132
Pb Free Product: No

Product Weight (grams): 0.5
Manufacturer: Intel Corporation
Revision Date: 7/8/2004

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	46900

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	19800
Nickel	Electrical interconnect	Substrate	5520

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 294. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 142
Pb Free Product: No

Product Weight (grams): 4.5
Manufacturer: Intel Corporation
Revision Date: 7/8/2004

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	46900

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	19800
Nickel	Electrical interconnect	Substrate	5520

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 294. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 144
Pb Free Product: Yes

Product Weight (grams): 0.4
Manufacturer: Intel Corporation
Revision Date: 4/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	4530
Nickel	Electrical interconnect	Substrate	6090

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 364, Product Code Name RTUMC480AAC133. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 196
Pb Free Product: No

Product Weight (grams): 0.7
Manufacturer: Intel Corporation
Revision Date: 5/3/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	46900

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	19800
Nickel	Electrical interconnect	Substrate	5520

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 294, Product Code Name RC82540EM Q 490. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 294
Pb Free Product: No

Product Weight (grams): 0.5
Manufacturer: Intel Corporation
Revision Date: 7/8/2004

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	46900

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	19800
Nickel	Electrical interconnect	Substrate	5520

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 294. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 324
Pb Free Product: No

Product Weight (grams): 2.9
Manufacturer: Intel Corporation
Revision Date: 7/8/2004

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	60800

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	12600
Nickel	Electrical interconnect	Substrate	17100

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 364. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 356
Pb Free Product: No

Product Weight (grams): 0.5
Manufacturer: Intel Corporation
Revision Date: 7/8/2004

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	60800

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	12600
Nickel	Electrical interconnect	Substrate	17100

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 364. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 356
Pb Free Product: Yes

Product Weight (grams): 0.3
Manufacturer: Intel Corporation
Revision Date: 4/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame Retardant	Mold Compound	6640
Brominated Flame Retardant	Flame Retardant	Mold Compound	3160
Nickel	Electrical interconnect	Substrate	4410

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 356, Product Code Name RTPXA270C0C312. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 364
Pb Free Product: No

Product Weight (grams): 0.6
Manufacturer: Intel Corporation
Revision Date: 4/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	32300

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	4270
Nickel	Electrical interconnect	Substrate	4770

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 364, Product Code Name PL2700G7. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 364
Pb Free Product: No

Product Weight (grams): 0.5
Manufacturer: Intel Corporation
Revision Date: 4/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	24300

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame Retardant	Mold Compound	1860
Brominated Flame Retardant	Flame Retardant	Mold Compound	3430
Nickel	Electrical interconnect	Substrate	7410

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 364, Product Code Name RC2700G3. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 364
Pb Free Product: Yes

Product Weight (grams): 0.5
Manufacturer: Intel Corporation
Revision Date: 4/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	2500
Nickel	Electrical interconnect	Substrate	9720

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 364, Product Code Name RT2700G3. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 364
Pb Free Product: Yes

Product Weight (grams): 0.6
Manufacturer: Intel Corporation
Revision Date: 4/21/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	4530
Nickel	Electrical interconnect	Substrate	6090

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: T-PBGA 364, Product Code Name BL2700G7. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 600
Pb Free Product: No

Product Weight (grams): 10.1
Manufacturer: Intel Corporation
Revision Date: 7/8/2004

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	60800

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	12600
Nickel	Electrical interconnect	Substrate	17100

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 364. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

T-PBGA
Thin Plastic Ball Grid Array
PinCount: 868
Pb Free Product: No

Product Weight (grams): 7.0
Manufacturer: Intel Corporation
Revision Date: 7/8/2004

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	60800

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame Retardant	Mold Compound	12600
Nickel	Electrical interconnect	Substrate	17100

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: PBGA 364. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

VF-PBGA
 Very Thin Fine Pitch Ball Grid Array
 PinCount: 56
 Pb Free Product: Yes

Product Weight (grams): 0.1
 Manufacturer: Intel Corporation
 Revision Date: 4/24/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame retardant	Epoxy encapsulation material	1160
Brominated Flame Retardant	Flame retardant	Epoxy encapsulation material	3030
Nickel	Plating	Substrate	4120

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: VF-PBGA 56, Product Code Name PH28F640W30BD. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

VF-PBGA
 Very Thin Fine Pitch Ball Grid Array
 PinCount: 56
 Pb Free Product: Yes

Product Weight (grams): 0.1
 Manufacturer: Intel Corporation
 Revision Date: 4/24/2006

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame retardant	Epoxy encapsulation material	1160
Brominated Flame Retardant	Flame retardant	Epoxy encapsulation material	3030
Nickel	Plating	Substrate	4120

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: VF-PBGA 56, Product Code Name PH28F320W30TD. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.

2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.

4. Material mass can be estimated by multiplying concentration (ppm) by product weight.

5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

VF-PBGA
 Very Thin Fine Pitch Ball Grid Array
 PinCount: 156
 Pb Free Product: Yes

Product Weight (grams): 0.1
 Manufacturer: Intel Corporation
 Revision Date: 9/14/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * The part does not contain RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds			

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Antimony	Flame retardant	Epoxy encapsulation material	1450
Brominated Flame Retardant	Flame retardant	Epoxy encapsulation material	5600
Nickel	Plating	Substrate	3760

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: VF-PBGA 156, Product Code Name RTPCGAFCCD. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.
3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.



Material Declaration Data Sheet

HL-PBGA
 High Thermal Low Plastic Profile Ball Grid Array
 PinCount: 304
 Pb Free Product: No

Product Weight (grams): 8.8
 Manufacturer: Intel Corporation
 Revision Date: 4/7/2005

Restrictions on Hazardous Substances (RoHS) Compliance

RoHS Definition

- * Quantity limit of 0.1% by mass (1000 PPM) of homogeneous material for: Lead (Pb), Mercury, Hexavalent Chromium, Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE)
- * Quantity limit of 0.01% by mass (100 PPM) of homogeneous material for: Cadmium

Intel understands RoHS requires: Lead and other materials banned in RoHS Directive are either (1) below all applicable substance thresholds as defined by the EU or (2) an approved/pending exemption applies. (Note: RoHS implementation details are not fully defined and may change.)

RoHS Declaration

- * This part contains RoHS restricted substances per the definition above.

Where the part is declared to meet RoHS requirements, it has been verified to be in conformance with 2002/95/EC as we currently understand the requirements. Intel has systems in place to verify conformance with all applicable environmental requirements and to the best of our knowledge the information is true and correct.

LEVEL A MATERIALS AND SUBSTANCES

Materials from Annex A of the EIA/EICTA/JGPSSI Material Composition Declaration Guide and listed in the table below are not contained in this product in quantities above the threshold level for these materials as stated in the EIA/EICTA/JGPSSI Material Composition Declaration Guide, nor intentionally added to this product.

Asbestos	Mercury / Mercury Compounds	Polychlorinated Naphthalenes
Azo colorants	Ozone Depleting Substances	Radioactive Substances
Cadmium / Cadmium Compounds	Polybrominated Biphenyls (PBBs)	Shortchain Chlorinated Paraffins
Hexavalent Chromium	Polybrominated Diphenylethers (PBDEs)	Tributyl Tin (TBT) and Triphenyl Tin (TPT)
Hexavalent Chromium Compounds	Polychlorinated Biphenyls (PCBs)	Tributyl Tin Oxide (TBTO)

If this product contains lead (Pb) above the threshold limit of 1000 ppm, the concentration, location and use for this product are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Lead/Lead Compounds	Electrical interconnect	Solder ball	23300

LEVEL B MATERIALS AND SUBSTANCES

Antimony/Antimony Compounds	Bismuth/Bismuth Compounds	Phthalates
Arsenic/Arsenic Compounds	Brominated Flame Retardants	Selenium/Selenium Compounds
Beryllium/Beryllium Compounds	Nickel/Nickel Compounds	Vinyl Chloride Polymer (PVC)

If this product contains materials listed in Annex B of the EIA/EICTA/JGPSSI Material Composition Declaration Guide above the threshold level of 1000 ppm, those materials/substances are listed below.

	Description of Use	Location in Product	Material Concentration (ppm)
Brominated Flame Retardant	Flame retardant	Mold Compound / substrate	9260
Nickel	Plating	Substrate	15500

COMMENTS

1. The data on Level A and B materials and substances are based on analytical testing of the following package: HL-PBGA 432. Individual unit test results may vary due to differences in production and /or sensitivities of analytical testing methods. Data shown on this MDDS reflect part-level testing intended to validate Intel's RoHS compliance systems. Intel's certification of RoHS compliance at the homogenous material level is based on Supplier Declarations of Conformance.
2. This data sheet is based on the product specified and other packages are assumed to be similar.

3. Data in parts per million (ppm) can be used to estimate content for other packages assumed to be similar.
4. Material mass can be estimated by multiplying concentration (ppm) by product weight.
5. The remainder of this package consists of non-reportable metals (e.g., tin, iron, etc), epoxy resin and other non-metal materials.

INTEL ACCEPTS NO DUTY TO UPDATE THIS MDDS OR TO NOTIFY USERS OF THIS MDDS OF UPDATES OR CHANGES TO THIS MDDS. INTEL SHALL NOT BE LIABLE FOR ANY DAMAGES, DIRECT OR INDIRECT, CONSEQUENTIAL OR OTHERWISE, SUFFERED BY USERS OR THIRD PARTIES AS A RESULT OF THE USERS RELIANCE ON INFORMATION IN THIS MDDS THAT HAS BEEN UPDATED OR CHANGED.