

Server WHQL Testing Services

Enterprise Platforms and Services Division

Intel[®] Server Board S5500BC Intel[®] Server Chassis SC5650DP Intel[®] Server Chassis SC5650BRP Intel[®] Server System SR1630BC

Server Test Submission (STS) Report

For the Microsoft® Windows® Logo Program (WLP)

Rev 1.0

April 3rd, 2009

This report describes the Intel® Server Board S5500BC Windows* Logo Program test run conducted by Intel Enterprise Platforms and Services Division (EPSD).

Purpose of this WLP Submission:

System First Time submission for the Microsoft* Designed for Windows Logo submission for the Intel® Server Board S5500BC in an ICH10R SATA SW RAID configuration.

Windows Server 2003 Submission Logo ID: 1323761

Submission Type:	Reason for test run	Check one
First Time Submission	Initial Microsoft Designed for Windows logo submission. New product submission.	
System Update	Hardware update. (For example, update submission test run with new processor speeds.)	
BIOS Update	BIOS and/or Firmware update. (For example, update submission test run with new BIOS to support additional processor speeds.)	
OS Update	OS update. (For example, update submission test run to add Microsoft Designed for Windows Server 2008 logo to product.)	

Revision History and Disclaimers

	Revision History		
Revision	Revision Date Comments		
1.0	4/3/2009	Internal draft of the STS Report for Windows Server 2003 Submission for Intel® Server Board S5500BC configured in SATA SW RAID mode	

THIS TEST REPORT IS PROVIDED "AS IS" WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NONINFRINGEMENT FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY WARRANTY OTHERWISE ARISING OUT OF ANY PROPOSAL, SPECIFICATION OR SAMPLE.

Information in this document is provided in connection with Intel® products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by the sale of Intel products. Except as provided in Intel's Terms and Conditions of Sale for such products, Intel assumes no liability whatsoever, and Intel disclaims any express or implied warranty, relating to sale and/or use of Intel products including liability or warranties relating to fitness for a particular purpose, merchantability, or infringement of any patent, copyright or other intellectual property right. Intel products are not intended for use in medical, life saving, or life sustaining applications.

Intel retains the right to make changes to its test specifications at any time, without notice.

The hardware vendor remains solely responsible for the design, sale and functionality of its product, including any liability arising from product infringement or product warranty.

Intel, Pentium, Itanium and Xeon are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries

* Other names and brands may be claimed as the property of others.

Copyright © 2009, Intel Corporation. All rights reserved.

Contents

Revision History and Disclaimers	2
Introduction	4
Overview of Contents	
Terms and Definitions	
Server Board Submission Information	5
Intel Server Board Submission Report: Completion of WLP	5
Submission Information	
Submission ID	5
Submission Type	5
Product Category	5
Product Detail	5
General Product Information	5
Characterization (optional)	5
Server Board Configuration Information	6
Processor	
System Memory	
Power Management	
BIOS	
Bus Types	
Integrated Components	
Onboard Integrated Devices and Drivers	
Product Data for HCL: Completion of WLP	
Product Data	8
Hardware Compatibility Tests Used	9
Errata and Contingencies	10
Submission Readme File	10
Testing Exceptions for S5500BC-SWR Windows Server 2003	
Testing Exceptions for S5500BC-SWR Windows Server 2003 x64	11
Additional Information	
Annendix A - Submission History	12

Introduction

This report provides an overview of the testing conducted on the Intel® Server Board S5500BC by Intel EPSD and provides details about this testing run.

Overview of Contents

Section Content		
Introduction	Brief descriptions of the sections in the report. Table listing terms and definitions.	
Server Product Submission Information Submission information, ID # and final server board configuration upon completion including HW, Driver version, BIOS version, and Board AA number		
DTM All DTM tests used during testing		
Errata and Contingencies All Microsoft* errata or contingencies used during testing		

Terms and Definitions

Term	Definitions	
EPSD	Enterprise Platforms and Services Division	
HCL	Windows Hardware Compatibility List. Changed to Windows Server Catalogue. You can view the catalogue at: http://www.microsoft.com/windows/catalog/server/	
DTM	Driver Test manager. For latest Server DTM tests visit: http://www.microsoft.com/whdc/hwtest/system/default.mspx	
STS	Server Test Submission Report published by EPSD	
WHDC	Windows* Hardware and Driver Central. Provides technical information, development and testing kits, newsletters and support information. http://www.microsoft.com/whdc/default.mspx	
WHOS	Windows Hardware Online Service – Secure online web site used to submit products for logo qualification and review submission history. https://winqual.microsoft.com/	
WHQL	Windows* Hardware Qualification Lab. For more information visit the WHDC home page at: http://www.microsoft.com/whdc/whql/default.mspx	
WLP	Windows Logo Program. For further information see: http://www.microsoft.com/whdc/winlogo/default.mspx	
WTS	Workstation Test Submission Report published by EPSD	

Server Board Submission Information

Intel Server Board Submission Report: Completion of WLP

Data in this section reflects system submission information at the time of WLP Update submission.

Submission Information

Submission ID				
Submission ID / Master ID	1323761			
Submission Type	Submission Type			
	Check Submission Type	Comments		
First-Time Hardware and Driver Test Submission				
System Update Test Submission				
Product Category				
Hardware Category	PC System or Server			
Operating System family	Operating System family Windows Server 2003 family			
Product Detail				
General Product Information				
Equipment Type	Server			
Primary Target Market	Business/Corporate			
Compliance	All applicable requirements			
Characterization (optional)				
	Check appropriate options	Comments		
Web Server				
SQL Database Server				
File Server				

April 3rd, 2009 5

Server Board Configuration Information

Processor		
Quantity	2 (physical processors installed)	
Front Side Bus Speed	6.40 GT/s (Gigatransfers per sec)	
Family/Model	Intel® Xeon Processor 5500 series	
Speed	1.86, 2.00, 2.13, 2.26, 2.53, 2.66, 2.80, and 2.93 GHz	
System Memory		
Amount Installed	32 GB	
Memory Type	DDR3	
Power Management		
ACPI Sleep States (S1, S2, S3, S4)	S1	
Server Board Product		
System uses logo'd motherboard	NO (Server boards are NOT eligible for logo under the Microsoft* Motherboard logo program)	
Board AA #/Fab	PBA: E25124-401	
Board Manufacturer	Intel Corporation	
Board Model	Intel® Server Board S5500BC	
Northbridge* Chipset Manufacturer	Intel Corporation	
Northbridge Chipset Model	Intel [®] 5500 Chipset IOH	
Southbridge* Chipset Manufacturer	Intel Corporation	
Southbridge Chipset Model	Intel [®] 82801 Jx I/O Controller (ICHI0R)	
BIOS		
BIOS Manufacturer	AMI*	
BIOS Version	S5500.86B.01.00.0033.03062009	
BIOS Date	3/6/2009	
BIOS URL (For Updates)	http://support.intel.com/support/motherboards/server/S5500BC	

Bus Types			
	Check all that Apply		Check all that Apply
PS/2		AGP*	
1394		PCCard* (16-bit)	
CF (Compact Flash)		CardBus* (32-bit)	
PCI		USB	
Mini-PCI		USB 2.0	\square
AMR		InfiniBand*	
ACR		Bluetooth*	
COM (Serial)	\checkmark	PCI Express	\square
Integrated Components			
	Check all that Apply		Check all that Apply
Audio		Display	$\overline{\mathcal{Q}}$
IDE		Networking	
SCSI		RAID	\square
Modem		Bluetooth*	

Onboard Integrated Devices and Drivers

Data in this section reflects system configuration at the time of WLP submission. The latest drivers for the Intel[®] Server Board S5500BC are available for download at: http://support.intel.com/support/motherboards/server/S5500BC

Technology	os	Version
Intel® S5500 IOH Chipset The chipset contains 24 PCI-E 2.0 lanes to accommodate IO throughput for the system.	Windows Server 2003 Windows Server 2003 – 64Bit	9.1.0.1012 9.1.0.1012
Embedded ICH10R SATA Controller SATA RAID mode	Windows Server 2003 Windows Server 2003 – 64Bit	12.08.1023.2008 12.08.1023.2008
LAN Intel 82567 and Intel 82574 Server Network Connection Supports 10/100/1000	Windows Server 2003 Windows Server 2003 – 64Bit	9.12.16.0 (Pkg 13.5) 9.12.16.0 (Pkg 13.5)
Display Server Engine Integrated BMC video controller	Windows Server 2003 Windows Server 2003 – 64Bit	WDM20080228.1996-R4 WDM20080228.1996-R4

April 3rd, 2009 7

Product Data for HCL: Completion of WLP

Data in this section reflects product data for HCL at time of WLP submission.

Product Data		
Product Name	Intel® Server Board S5500BC	
Additional Product Names	Intel® Server System SR1630BC	
Additional Froduct Names	Intel® Server Chassis SC5650DP	
	Intel® Server Chassis SC5650BRP	
Supported Platforms		
	Check Tested	Comments
Windows Server 2003 family		
Windows Server 2003 x64 family	V	
Windows Server 2008 family		
Windows Server 2008 x64 family		

Hardware Compatibility Tests Used

Microsoft* Windows Hardware Driver Central Server Testing Home Page: http://www.microsoft.com/whdc/hwtest/system/default.mspx.

Please check this website regularly for test kit updates.

Operating	Notes	Hardware Compatibility Tests (HCT)
Systems		
Windows Server 2003	DTM 1.2 Test Procedures for Systems, Servers and Cluster Servers (Windows 2000)	DTM 1.2 Test Kit (Windows 2000) (35.4 MB)
	http://download.microsoft.com/download/whistler/ Docs/Docs/W982KMeXP/EN- US/HCT9502_Systems.exe	http://download.microsoft.com/download/whistler/Tools/Tools/W98NT42KMeXP/EN-US/HCT9502UPD.EXE
	Logo'd Components Index Full Install	Logo'd Components Index Full Install (~9.8 MB)
		http://download.microsoft.com/download/whistler/Instal I/20.0/W982KMeXP/EN-US/logoidx.exe
	391 NDIS Intermediate Drivers Instructions	Beta NDIS Test Update (ndt391.exe) (2MB)
	http://download.microsoft.com/download/whistler/ Install/20.1/W982KMeXP/EN- US/NDISIntermedDriver.exe	http://download.microsoft.com/download/whistler/Instal l/12.2/W982KMeXP/EN-US/ndt391.exe
	386 NDIS Intermediate Drivers Instructions	NDIS Test Update for Windows 98 SE, Windows Me, and Windows 2000 (ndt386.exe) (2.02MB)
	http://download.microsoft.com/download/whistler/ Install/20.1/W982KMeXP/EN- US/NDISIntermedDriver.exe	http://download.microsoft.com/download/whistler/Instal l/12.2/W982KMeXP/EN-US/ndt386.exe
Windows	DTM 1.2 Test Procedures and Readme files for	DTM 1.2 Test Kit (4.95MB)
Server 2008	Windows Server 2003 and Windows Server 2008 (4.95MB)	http://www.microsoft.com/whdc/hwtest/search/details.a spx?ID=724
	http://www.microsoft.com/whdc/hwtest/search/de tails.aspx?ID=725	
	Logo'd Components Index Full Install	Logo'd Components Index Full Install (~9.8 MB)
		http://download.microsoft.com/download/whistler/Instal I/20.0/W982KMeXP/EN-US/logoidx.exe

April 3rd, 2009 9

Errata and Contingencies

Microsoft* System DTM Errata list is available at: https://winqual.microsoft.com/EC/

Operating System	Identification Number	Title
Windows Server 2003		See Testing Exceptions section below

Submission Readme File

Effective May 1, 2002, the new Microsoft standardized Readme form will be required for all hardware submissions that include any of the following testing exceptions:

- Test failures
- Tests not run
- Missing test logs
- Inconclusive test results

All testing exceptions must be identified with a valid Errata ID, Incident ID, or Contingency ID provided by WHQL. The new Microsoft standardized Readme file is available for download at: http://www.microsoft.com/whdc/winlogo/WLK/default.mspx

Testing Exceptions for S5500BC-SWR Windows Server 2003

Data in this section reflects product data and test exceptions listed in section 2 of the S5500BC-SWR Readme file at time of WLP First-Time submission ID Number **1323761**.

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number	
Windows Server 2003			
Failing test name			
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)			
Additional information (for example, test system in a multiple system configuration)	no errata included with this submission		

Testing Exceptions for S5500BC-SWR Windows Server 2003 x64

Data in this section reflects product data and test exceptions listed in section 2 of the S5500BC-SWR Readme file at time of WLP First-Time submission ID Number **1323761**.

Operating system (Windows XP, Windows 2000, etc.)	Failure type (Contingency, Errata, Incident)	ID number
Windows Server 2003 x64		
Failing test name		
Applicable error message (Type N/A if the error message or failing text is excessive or if there is no text)		
Additional information (for example, test system in a multiple system configuration)	no errata included with this submission	

Additional Information

No additional information entered in section 3 of the S5500BC-SWR Submission Readme file at time of WLP submission ID 1323761.

Appendix A – Submission History

Microsoft "Designed for Windows*" logo submission history for the Intel[®] Server Board S5500BC-SWR

Submission ID	Туре	Date	OS Qualified	Processor Speeds	Board Revision	BIOS Version
1323761	First-Time	4/3/09	Windows Server 2003 - 32 & 64 Bit	1.86, 2.00, 2.13, 2.26, 2.53, 2.66, 2.80, and 2.93 GHz	401	S5500.86B.01.00.33 3/6/2009